

Focused Site Inspection Prioritization Report

for

Arlington Heights Municipal Landfill ILD 984 781 526

July 24, 1995

Prepared for:
U.S. Environmental Protection Agency
under Alternative Remedial Contracting Strategy
Contract 68-W8-0064, Work Assignment 32-5JZZ

For U.S. Environmental Protection Agency, Region	V
Approved by: Alan Alten	Date: 9/29/95
For Illinois Environmental Protection Agency	
Approved by:	Date:

6279n

Contents

1.0	Intro	oduction 1-1
2.0	Site	Background
	2.1	Introduction
	2.2	Site Description
	2.3	Site History 2-4
		2.3.1 Operational History
		2.3.2 Summary of Onsite Environmental Work 2-4
	2.4	Applicability of Other Statutes 2-6
3.0	Site	Inspection Activities and Analytical Results
	3.1	Introduction
	3.2	Site Reconnaissance 3-1
	3.3	Site Representative Interview 3-1
	3.4	Groundwater Sampling 3-1
	3.5	Surface Water and Sediment Sampling 3-6
	3.6	Soil Sampling
	3.7	Analytical Results 3-7
	3.8	Key Samples
4.0	Chai	racterization of Sources 4-1
	4.1	Introduction
	4.2	Landfill
		4.2.1 Description
		4.2.2 Waste Characteristics 4-1
		4.2.3 Potentially Affected Migration Pathways 4-1
	4.3	Other Potential Sources Within One Mile 4-1
5.0	Disc	ussion of Migration Pathways 5-1
	5.1	Introduction
	5.2	Groundwater 5-1
	5.3	Surface Water 5-3
	5.4	Air

Contents (Continued)

5.5	Soil 5-4
6.0 Refe	rences 6-1
	Tables
Table 3-2	Sample Descriptions
	Figures
Figure 2-2	Site Location Map
	Appendices
Appendix A	Site 4-Mile Radius Map and 15-Mile Surface Water Route Map
Appendix l	B USEPA Form 2070-13
Appendix (Target Compound List and Target Analyte List
Appendix I	Analytical Results
Appendix I	Site Photographs
Appendix I	Representative Well Logs

1.0 Introduction

On December 13, 1994, Black & Veatch Waste Science, Inc. (BVWS), was authorized, by approval of the work plan amendment by the U.S. Environmental Protection Agency (USEPA) Region V, to conduct an focused site inspection prioritization (FSIP) of the Arlington Heights Municipal Landfill site in Cook County, Illinois.

The site was initially placed on the Comprehensive Environmental Response, Compensation, and Liability Act Information System (CERCLIS) on February 15, 1990, as a result of a request for discovery action initiated by the Illinois Environmental Protection Agency (IEPA).

The facility received its Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) evaluation in the form of a preliminary assessment (PA) report completed by Judy J. Triller, IEPA, on August 7, 1990. The sampling portion of the SSI was conducted on April 14 and 15 and May 20, 1993, when a field team collected two groundwater, four surface water, five sediment, and three soil samples.

The site is listed on the CERCLIS more than once. Under another CERCLIS number, a screening site inspection (SSI) was completed at the site on January 29, 1988. A second inspection, reported in this document, was conducted; however, it did not duplicate the first SSI. The subsequent investigation, designated as an FSIP, evaluated two pathways not previously sampled, and documented observed releases to groundwater and surface water. No reference to multiple site listings or inspections was found in the PAs or the original SSI report.

The objective of the FSIP is to review the outstanding SSIs performed before the implementation of the revised HRS for which a final decision has not been made regarding further action. The FSIP will determine whether the existing SSI information meets a minimum standard to reflect the revised HRS, and, if not, collect additional information by file review, reconnaissance and sampling on an as-needed basis. The FSIP will evaluate the threats posed to human health and the environment and provide sufficient documentation for USEPA to decide the appropriate future course of action (no further remedial action planned [NFRAP], further evaluation, or preparation of an HRS package).

2.0 Site Background

2.1 Introduction

This section includes information obtained during the FSIP and from reports of previous site activities.

2.2 Site Description


'Vam'


The Arlington Heights Municipal Landfill (AHML) is located near Route 68 (Dundee Road) and Kennicott Avenue in the village of Arlington Heights, Illinois. The property is in the western half of Section 6, Township 42 North, Range 11 East, in Cook County. Figure 2-1 is a United States Geological Survey (USGS) site location map; Figure 2-2 shows the site layout.

The topography of the 54-acre AHML property has been affected by two main types of materials: landfilled wastes and lake excavation sediment. A ditch along the southern and western property lines collects runoff from the southern and western portions of the site. The onsite pond, which is fed by the ditch, receives runoff from the central portion of the site. During wet periods, the pond discharges to Buffalo Creek through a drain tile. The tile is believed to be an old agricultural drain tile. Runoff from the eastern slope of the landfill flows offsite onto a flat area, which is an unpaved right-of-way for Kennicott Avenue. This runoff eventually flows into the storm sewers on Kennicott Avenue, near the northeastern and southeastern corners of the site. Runoff from the landfill's northern slope flows to storm sewers on Nichols Road.

A fence surrounds the AHML site. Gates are located near the southeastern corner and along the south-central border of the property. The gates are three feet high cross-bars that restrict vehicles, but not pedestrians.

The inactive landfill occupies a large portion of the property, but several municipal facilities are located in the southern portion. The wellhouse of Well #13, a deep Cambrian-Ordovician bedrock well used as an emergency water supply, is adjacent to a large municipal water tank. The well is maintained with regular pumping. It has not been used as a drinking water source since Arlington Heights began using Lake Michigan water (Arlington Heights, 1993b). A fire fighting training building and a trench rescue practice facility are also near the tank. An equipment building located near the property's southeastern corner was being torn down during





the May 20, 1993, sampling visit. Eight monitoring wells installed in 1989 are spaced around the perimeter of the site.

The municipal property is bordered on the north and east by residential areas, on the south by a Honeywell corporation facility, and on the west by an office park. Within four miles of the site, land use is mainly residential, with a mixture of commercial, transportational, and recreational areas. Appendix A presents a map illustrating the land use within four miles of the site.

2.3 Site History

2.3.1 Operational History

Before landfilling operations, the property was used as a farm and a gravel pit (IEPA, 1990). The village of Arlington Heights acquired the property between 1964 and 1968; landfilling operations began during this period. The AHML accepted municipal waste until 1974 and construction debris until the late 1980s.

During its active period, the AHML presumably operated either as an open dump or as a sanitary landfill. A cover, varying in thickness from 3.5 to 9.5 feet, was laid down after the landfill closed (IEPA, 1990).

Village of Arlington Heights representatives stated that 1.5 million cubic yards of sediment and soil have been deposited onsite to grade the land for future use as a golf course. The excavated material has a thickness of 80 feet in some places. The source of the sediment and soil is the McDonald Creek project, where a lake is being constructed in east Arlington Heights (Arlington Heights, 1993b).

The AHML site is usually inactive. Village of Arlington Heights employees periodically check the various facilities in the southern portion of the property. Fire fighting and trench rescue training takes place occasionally at the site, which is a regional training center.

2.3.2 Summary of Onsite Environmental Work

IEPA observed leachate seeps at undocumented locations at the landfill in 1972, 1978, 1979, 1980, and 1984 (IEPA, 1989b). Only the 1984 seep was sampled.

During a December 16, 1975, IEPA inspection, approximately 100, 55-gallon drums were observed at the southwestern corner of the landfill, near the water tank (IEPA, 1989a, 1989b). Most drums appeared empty. Labels were observed on the drums (AERO Shell Fluid #4, Dupont Fluor Carbon TF & TE solvent, and light Cy

Oil). Approximately forty drums filled with unknown liquids were transported to Lake Landfill Inc. on February 9, 1976, for disposal.

In February 1976, the Arlington Heights director of public works informed IEPA that drums possibly containing residual water-soluble cutting oils from the nearby Honeywell Corp. facility were empty when landfilled at the site (Arlington Heights, 1976).

On two other occasions, IEPA observed 55-gallon drums on the site (IEPA, 1989a). First, drums were seen in a pond at the southwestern corner of the site, and secondly, on a separate occasion, IEPA observed the burial of drums at an undocumented site location.

Illinois Bell Telephone (IBT) sampled water trapped in four telephone vaults along the eastern edge of the landfill in October 1987. Samples were analyzed for volatile organic constituents. Eleven volatile organic compounds were detected (Harza Environmental Services, 1989).

The first of two PAs was performed by IEPA in 1986 (IEPA, 1986). The first PA is brief and includes little information.

Following the first PA, Ecology and Environment, Inc., performed an SSI at the AHML (E&E, 1988). An old well believed to have been installed by IEPA was the only onsite monitoring well at the time. It was not sampled. Surface soil sampling took place on October 1, 1987, at four locations in the northern part of the property and at a background location in the southeastern part of the property near the maintenance building. Analytical results indicated metals and estimated concentrations of several organics in the investigative samples. However, the highest concentrations for most organics were in the background sample. Tentatively identified compounds were also noted in the SSI results.

In February 1989, an Environmental Assessment Report was published. It included documentation of the installation of eight monitoring wells to a maximum depth of 48 feet (Harza Environmental Services, 1989). Upon completion, the wells were sampled and analyzed for three physical parameters, total organic carbon, total organic halogens, and six inorganic parameters.

No documentation has been found of complete inorganic and organic analyses of samples from these monitoring wells.

In February 1989, IEPA sampled water in one of the IBT phone vaults after an IBT complaint. Samples were analyzed for organic and inorganic parameters. Eleven volatile organic compounds were detected (IEPA, 1989a).

ì

The AHML was listed on the CERCLIS list in February 1990. A second PA was performed in August 1990 by IEPA, resulting in a medium priority recommendation for further investigation (IEPA, 1990).

2.4 Applicability of Other Statutes

The Illinois RCRA listing contains a reference to a village of Arlington Heights facility (ILD 984 838 367) at 3600 N. Kennicott (USEPA, 1992b). The facility was designated a small quantity generator as of September 24, 1991. The listing does not clearly describe the facility; however, the address is approximately the same as the AHML.

The AHML was listed three times in CERCLIS (USEPA, 1992a): one listing description appears in section 1.0 of this report; the other two listings were under identification numbers ILD 980 612 543 (preliminary assessment with no further remedial action planned status in 1987) and ILD 981 193 428 (site inspection with higher priority in 1988). CERCLIS has been corrected to reflect the identification number of this report(ILD 984 781 526) as the current identification number.

3.0 Site Inspection Activities and Analytical Results

3.1 Introduction

This section outlines procedures used and observations made during the FSIP conducted at the AHML site. Sampling activities were conducted in accordance with the Quality Assurance Project Plan (QAPjP), dated September 27, 1991. Figure 3-1 shows each sample location; Table 3-1 provides a summary of sample descriptions and locations.

Appendix B presents the USEPA Potential Hazardous Waste Site Inspection Report (Form 2070-13).

Samples collected for this FSIP were analyzed for organic and inorganic substances contained on the USEPA Target Compound List (TCL) and Target Analyte List (TAL) by USEPA Contract Laboratory Program participant laboratories. Appendix C presents the TCL and TAL. Appendix D presents a summary of analytical data generated by FSIP sampling. Appendix E contains photographs of the site and sample locations.

3.2 Site Reconnaissance

On December 31, 1992, a reconnaissance of the AHML site was conducted. This visit included a visual site inspection to determine the facility's status, activities, and health or safety hazards, and to identify potential sampling locations.

3.3 Site Representative Interview

Village of Arlington Heights employees Allen Sander, Director of Public Works, and Dennis Bowe, Superintendent of Utilities, were interviewed by the reconnaissance team on December 31, 1992, at the Arlington Heights municipal building. The reconnaissance team discussed the purpose of the FSIP with site representatives and gathered site-specific information. Bowe then accompanied the team to the site.

3.4 Groundwater Sampling

On April 15, 1993, a field team collected groundwater samples at two onsite monitoring wells. The wells were purged using a decontaminated Fultz pump until




	Table 3-1 Sample Descriptions					
Sample	Depth	Appearance	Location			
GW01	38.8 - 43.8 ft.	Clear, odorless	AHML MW-6 north of site's southeastern gate, selected to represent background conditions			
GW02	26.9 - 31.9 ft.	Gray, silty, odorless	AHML MW-4 at northeastern corner of site			
SW01	0 - 1 inch	Clear and odorless	18 feet north of the handrail, on the northeastern corner of the Nichols Rd. bridge over Buffalo Creek			
SW02	0 - 1 inch	Clear and odorless	At the weir of the dam, on the western side of the northern crossing of Ventura Dr. over Buffalo Creek, selected to represent background conditions			
SW03	0 - 1 inch	Clear and odorless	From the onsite pond's outflow pipe at the base of the tree 57 feet south of Nichols Rd. bridge over Buffalo Creek			
SW04	0 - 1 inch	Cloudy, swampy odor	In onsite pond, near the center of the east bank			

		Table 3-1 (Continued) Sample Descriptions)
Sample	Depth	Apperrance	Location
ST01	0 - 3 inches	Sandy clay, dark brown, wet	26 feet north of handrail on the northeastern corner of the Nichols Rd. bridge over Buffalo Creek
ST02	0 - 3 inches	Clayey sand, dark brown, wet, some silt	From the pond's bank, 15 feet south of the dam's weir, on the western side of the northern crossing of Ventura Dr. over Buffalo Creek, selected to represent background conditions
ST03	0 - 3 inches	Clayey silt, dark brown, moist, some organic matter	21 feet east of Buffalo Creek and about 100 feet south-southeast of the Nichols Rd. bridge over Buffalo Creek
ST04	0 - 3 inches	Silty clay, brown, wet, some organic matter	In the onsite pond, near the center of the east bank
ST05	0 - 3 inches	Clayey silt, gray- brown, wet	In the onsite pond, along the northern shore
SS01	0 - 6 inches	Silty clay, brown, moist	8 feet south of MW-4, selected to represent background conditions

	Table 3-1 (Continued) Sample Descriptions			
Sample	Depth	Apperrance	Location	
SS02	0 - 6 inches	Sandy silt, dark brown, moist	12 feet northeast of the two manhole covers located about 20 feet northwest of fire tower	
SS03	0 - 6 inches	Clayey silt, dark brown, moist, some sand	About 100 yards northwest of water tank	

at least three well volumes of water were removed and pH and conductivity were stable.

Field and monitoring well conditions limited the groundwater sampling effort. Two of the four monitoring wells located on the eastern side of the site, (MW-4 and MW-6) were sampled. Of the remaining four onsite monitoring wells, MW-8 was not located and is assumed to be destroyed; MW-2 was apparently vandalized and could not be sampled; and MW-3 and MW-5, located between a fence and a water filled ditch, were inaccessible.

Sample containers were sealed, labeled, packaged, and delivered to the USEPA Central Regional Laboratory (CRL) in Chicago on April 16, 1993, by the field team.

All reusable sampling equipment and personal protective equipment (PPE) were decontaminated. Disposable sampling and PPE items were discarded in accordance with procedures outlined in the FSIP project work plan and the QAPjP.

Because of fairly complex stratigraphy in the glacial drift and the undocumented extent of sand and gravel excavation, it is difficult to determine groundwater flow directions. The degree of hydraulic connection between Buffalo Creek and sandy zones in the drift has not been established. Groundwater sample GW01 taken at MW-6 was selected to represent background conditions.

3.5 Surface Water and Sediment Sampling

On April 14, 1993, a field team collected four surface water samples and five sediment samples. The sediment samples were collected using decontaminated stainless steel spoons.

All surface water samples and the sediment samples for inorganic analysis were sealed, labeled, packaged, and delivered to CRL in Chicago on April 16, 1993, by the field team. Sediment samples for organic analysis were shipped to Analytical Resources in Seattle, Washington, on April 16, 1993.

All reusable sampling equipment and PPE were decontaminated before transport offsite. Disposable sampling and PPE items were discarded in accordance with procedures outlined in the FSIP project work plan and the QAPjP.

Background surface water sample SW02 and sediment sample ST02 were taken on the western side of Buffalo Creek, upstream of the probable point of entry for surface water runoff from the landfill, above the Ventura Drive bridge. At this location, the creek has been widened into a pond in a business complex.

Surface water sample SW04, and sediment samples ST04, and ST05 were taken in the onsite pond to assess the surface water pathway close to the source. Sediment sample ST03 was collected to evaluate potential releases through the overflow outlet of the onsite pond. Surface water sample SW03 was taken from the point where a drain tile outflow thought to drain the onsite pond discharges water into Buffalo Creek. Surface water sample SW01 and sediment sample ST01 were collected to evaluate potential downstream migration of substances attributable to the site.

3.6 Soil Sampling

A field team collected three soil samples using clean, stainless steel spoons. Samples for inorganic analysis were collected on April 15, 1993. Samples for organic analysis were taken the same day; however they were spoiled when their temperature exceeded acceptable limits during transport to the laboratory. The locations were resampled for organic analysis on May 20, 1993.

Soil samples scheduled for organic analysis were shipped to ENCOTEC in Ann Arbor, Michigan, on May 20, 1993. Soil samples scheduled for inorganic analysis were delivered to the CRL in Chicago by the field team on April 16, 1993. Samples were analyzed for TCL and TAL substances under a routine analytical services request.

All reusable sampling and PPE were decontaminated before transport offsite. Disposable sampling and PPE items were discarded in accordance with procedures outlined in the FSIP project work plan and the QAPjP.

A background soil sample, SS01, was collected at the northeastern corner of the property. This location was selected as representative of natural soil conditions in the area. Soil sample SS02 was taken near the fire tower training center. Soil sample SS03 was taken northwest of the water tank, in an area where drums were observed in the 1970s. Although the cover is believed to be thick in this area, the sample serves to characterize the fill from the McDonald Creek project.

3.7 Analytical Results

This section summarizes analytical results from FSIP samples. Appendix D presents all FSIP analytical data.

Samples for each pathway were compared to background samples. Laboratory analysis of the two monitoring wells indicates a significant concentration of one inorganic parameter. Surface water data indicates twelve inorganics at significant concentrations. Sediment analysis indicates two semi-volatiles, three pesticides, and five inorganics at significant concentrations compared to the background sample. No soil parameters were determined to be at significant levels. Tentatively identified compounds of volatiles or semi-volatiles were found in groundwater, surface water, and sediment.

3.8 Key Samples

"Key samples" are those samples that contain substances in sufficient concentration to document an observed release. Table 3-2 identifies FSIP key samples for groundwater, surface water, and sediments.

Table 3-2 Key Sample Summary			
Groundwater			
	Sample Number		
Substance	GW01 Background	GW02	
Inorganics (μg/L)			
Arsenic	- 2 U	3	

Note:

U Substance is undetected. The reported value is the contract required detection limit (CRDL).

Table 3-2 (Continued) Key Sample Summary					
Surface Water					
		Sample N	lumber		
Substance	SW01	SW02 Background	SW03	SW04	
Inorganics (µg/L)					
Aluminum		223	3300	8220	
Arsenic	2	2 U	5	15	
Barium		35.1		107	
Chromium		10.0 U		13.5	
Cobalt		7.0 U		11.1	
Copper		7.1		30.5	
Iron		491	6300	16000	
Lead	3	2 U	17	29	
Manganese		102		781	
Nickel	19.5	18.0 U		38.0	
Vanadium		6.0 U	7.9	21.7	
Zinc		49.0 U		64.5	

Note: U Substance is undetected. The reported value is the CRDL.

Table 3-2 (Continued) Key Sample Summary					
Sediments					
Substance		Sample Number			
	ST01	ST02 Background	ST03	ST04	ST05
Semi-Volatiles (μg/kg)					
Fluoranthene	390	390 U	-	460	
Pyrene		390 U		480	
Pesticides (μg/kg)			_		
4,4-DDE	6.1	3.8 U	6.6	3.8 J	7.1 J
4,4'-DDD	17	3.8 U			
4,4'-DDT		2 J			10 J
Inorganics (mg/kg)					
Calcium		18000		56000	
Manganese		220		670	
Mercury		0.04 J	0.2 J		
Selenium		0.4 U	0.7		0.4
Thallium		0.4 U	0.4		

Notes:

- J Reported value is estimated.
- U Substance is undetected. The reported value is the contract required quantitation limit (CRQL) for organics and the CRDL for inorganics.

4.0 Characterization of Sources

4.1 Introduction

Analysis of FSIP samples identified the landfill area at the AHML site as a source.

4.2 Landfill

4.2.1 Description

The AHML is L shaped. It covers about 18 acres of the 54 acre property (Harza Environmental Services, 1989). AHML accepted municipal solid wastes and construction demolition wastes. Since closure of the landfill in the late 1980s, 1.5 million cubic yards of soils and sediments from the McDonald Creek Lake Construction Project have been deposited as fill and cover material at the site.

4.2.2 Waste Characteristics

FSIP analytical results indicate the groundwater pathway on the eastern side of the landfill contains arsenic above background levels, and the surface water pathway contains several inorganics, two semi-volatiles, and three pesticides. Table 3-2 identifies FSIP key samples for groundwater, surface water, and sediments.

4.2.3 Potentially Affected Migration Pathways

Analysis of FSIP groundwater samples, GW01 and GW02, documents an observed release to the groundwater pathway on the eastern side of the landfill. Analysis of FSIP surface water samples, SW01-SW04, and sediment samples ST01-ST05, documents an observed release to the surface water pathway. Analysis of FSIP soil samples, SS01-SS03, does not document an observed release to the soil pathway.

A slight potential exists for affecting the soil and air pathways. Detected substances may spread onto site soils during flooding or may be entrained and transported in the air pathway as airborne particles.

4.3 Other Potential Sources Within One Mile

The CERCLIS database (USEPA, 1992a) was inspected for other potential hazardous waste sites within one mile of the AHML. Addresses stated in CERCLIS for Arlington Heights, Wheeling, Palatine, and Buffalo Grove were checked on a local street map to determine their proximity to the site. One facility was identified:

Safety-Kleen (ILD 000 805 929) at 306 Campus Drive in Arlington Heights. This location is about one mile southeast of the AHML. IEPA performed a preliminary assessment of Safety-Kleen in 1989 and deferred the site to RCRA.

The RCRA list contains over 150 facilities in Arlington Heights; many are within one mile of the AHML (USEPA, 1992b). The Village of Arlington Heights property that contains the landfill is listed as a small quantity generator. Other RCRA listed facilities are in Wheeling, Palatine, and Buffalo Grove. Some of these may be within one mile of the AHML.

5.0 Discussion of Migration Pathways

5.1 Introduction

This section includes information useful to analyze the potential impact of contaminants found at the AHML site on the four migration pathways: groundwater, surface water, air, and soil.

5.2 Groundwater

FSIP sampling of groundwater samples, GW01 and GW02, determined an observed release of arsenic has occurred to the glacial drift aquifer.

The native (pre-development) surficial soils on the landfill property were loamy and silty soil derived from glacial tills (U.S. Department of Agriculture, 1979). These soils were poorly to moderately well drained. However, landfill operations are assumed to have reshaped the land in most places. The surficial soils may have been used as cover material.

The site geology is a thickness of glacial deposits over Paleozoic sedimentary bedrock. Most of the glacial drift is fine-grained till in the site vicinity. A detailed statewide study by Berg and Kempton (1988) provides three-dimensional mapping of geologic materials to a depth of 50 feet. Their map suggests that the landfill property is underlain by at least 50 feet of silty and clayey till.

Sand and gravel units within the drift sequence may serve as aquifers for domestic uses; however, near the landfill, sand and gravel aquifers are uncommon (Bergstrom and others, 1955). Logs of bedrock wells obtained from the Illinois State Water Survey (ISWS) indicate a glacial drift thickness of 155 to 202 feet within a mile of the landfill. Sand units ranging from 1 to 33 feet in thickness are noted on many of the logs, although some logs do not describe any sand zones. The sand bodies are assumed to have limited lateral extent. Appendix F presents several of these ISWS logs.

The uppermost bedrock in the region is Silurian dolomite (Willman, 1971; Bergstrom and others, 1955), which yields water through fractures. Its lower boundary is the Maquoketa shale, a fairly thick confining unit. Below the Maquoketa is the Cambrian-Ordovician aquifer, the most productive in northeastern Illinois (Hughes and others, 1966). Because the Maquoketa is relatively impermeable, this study focuses on the Silurian dolomite aquifer.

Logs of nearby wells indicate a Silurian dolomite thickness of 200 feet or more. One log, included in Appendix F, describes the bedrock stratigraphy of the Arlington Heights #13 backup well. A 115-foot thick shale shown on the log is interpreted to be the Maquoketa.

Berg and Kempton (1984) mapped Illinois with respect to the potential for contamination of shallow aquifers by landfills. In the AHML vicinity, their map suggests a low susceptibility because of fairly uniform, relatively impermeable silty or clayey till at least 50 feet thick.

Harza Environmental Services (1989) described onsite geology. Harza installed eight monitoring wells to a maximum depth of 48 feet. The wells logs each show a sand and gravel unit within a clayey till. The sandy zones have different thicknesses and occur at different elevations. Their study suggests lateral continuity of the sandy zones and a complex pattern of groundwater flow across the site area.

The suburban area within four miles of the site has many domestic and municipal wells. Most municipal wells are used for backup purposes in communities that receive Lake Michigan water. These communities include Arlington Heights, Buffalo Grove, Wheeling, and Palatine. All backup wells are 1,300 to 2,000 feet deep and are assumed to use the Cambrian-Ordovician aquifer. These wells are assumed to have negligible contamination potential from surface land use.

Barrington Woods the only active public well identified, is about three miles west of the site (IEPA, 1992; ISWS, 1992). This well is 140 feet deep, assumed to be in the Silurian dolomite, and serves 210 people.

Almost all domestic wells in the area range from 100 to 300 feet in depth (ISWS, 1992) and are assumed to use the Silurian dolomite aquifer. A negligible number of shallow wells are assumed to be screened in discrete sand and gravel aquifers. Table 5-1 presents the estimated populations using groundwater from the Silurian dolomite as a drinking water source. These estimates were determined using 1990 demographic information, USGS topographic maps, and well databases.

ISWS (1992) identifies some irrigation wells (golf courses and cemeteries) and commercial/industrial wells within four miles of the site. Most of these wells are finished in the Silurian dolomite aquifer. Because these wells are not used for a drinking water supply, they are not included in Table 5-1.

	Table 5-1 Estimated Population Relying on Groundwater			
Distance from Site	Estimated Population			
0 to 1/4 mile	0			
1/4 to 1/2 mile	5			
1/2 to 1 mile	27			
1 to 2 miles	864			
2 to 3 miles	3,906			
3 to 4 miles	5,375			
Total	_ 10,177			

Source:

USGS (1960, 1961, 1963a, 1963b), U.S. Department of Commerce (1991), IEPA (1992), ISWS (1992), Buffalo Grove (1993), Kildeer (1993), Long Grove (1993), Palatine (1993)

Onsite wells include the eight Harza monitoring wells, the deep emergency backup well (Arlington Heights #13), and a well that Arlington Heights representatives refer to as an "IEPA monitoring well." This well is near the municipal well. IEPA has no record of this well (IEPA, 1993a). The only reference to it is in an ISWS database, which lists it as a 47-foot deep well belonging to "Arlington Heights (Landfill)" and constructed in 1977 (ISWS, 1992).

The nearest domestic wells listed by ISWS (1992) are two wells about 0.3 miles northwest of the landfill.

5.3 Surface Water

Site surface runoff reaches Buffalo Creek, which is near the property's western border. As described in Section 2.2, some site runoff collects in the onsite pond, which discharges to the creek. In other areas, runoff is collected either in storm sewers that discharge to the creek or in a ditch that feeds the pond.

The 15-mile downstream flow route begins with a six-mile section of Buffalo Creek. The creek is then renamed Wheeling Drainage Ditch. After three miles, the

ditch empties into the Des Plaines River. The 15-mile downstream point is on this river at Big Bend Lake.

Average flow data is available from the USGS (1991). At the 4-mile point in Buffalo Creek, flow is 17.6 cubic feet per second (cfs). At the 12-mile point in the Des Plaines River, flow is 277 cfs.

The site is outside the 500-year floodplain (FEMA, 1981).

FSIP sampling results determined an observed release of several inorganics has occurred to the onsite pond and Buffalo Creek.

No surface water intakes are within 15 downstream miles of the site (IEPA, 1983).

Buffalo Creek, Wheeling Ditch, and the Des Plaines River are all assumed to be used for recreational fishing.

Two state-listed endangered species habitats are along the 15-mile flow route. They are specified only as an animal at 11.5 miles and a plant at 14.5 miles (Illinois Department of Conservation, 1993).

Buffalo Creek, the onsite pond, and all subsequent surface water bodies are mapped as wetlands (U.S. Fish and Wildlife Service, 1980, 1981a, 1981b).

5.4 Air

No air samples were taken during the sampling visit except for standard air monitoring. Readings with a photoionization detector were at background levels around the site and at sampling locations.

Numerous residences are within one-quarter mile of the site, to the north and east. A Honeywell Corp. facility is south of the site; other businesses are in an industrial park just to the west of the site. Wetlands within one-quarter mile of the site include the onsite pond, a portion of Buffalo Creek, and a small wetland to the northeast of the site.

5.5 Soil

FSIP sampling results did not show the presence of TAL or TCL substances in the three areas sampled.

The fence around AHML varies. In some locations, the height of the fence is reduced because the lower portion of the fence is buried by soil eroded from nearby landfill slopes. Along the eastern border, the fence is in poor condition. The site gates on the southern and eastern borders are three foot tall cross-bars that restrict

vehicular traffic, but do not limit trespassers on foot or on bicycle. Ordinarily, no one works on the landfill portion of the property. In the southern portion of the property, Arlington Heights employees periodically check the water tank and the fire and trench rescue facility occasionally hosts a group of trainees.

About sixty single family homes are within 200 feet of the property, based on an inspection of the municipal zoning map (Arlington Heights, 1993b). About 2,032 people are within one mile of the AHML.

 $\Psi_{(i,q_0)}(\beta)$

The Market

- U.S. Department of Agriculture, 1979. Soil Survey of DuPage County and Part of Cook County, Illinois.
- U.S. Department of Commerce, 1991. Summary Population and Housing Characteristics, Illinois, 1990 Census of Population and Housing.
- U.S. Environmental Protection Agency (USEPA), 1988, "Pre-Remedial Strategy for Implementing SARA," Office of Solid Waste and Emergency Response, Washington, D.C., Directive Number 9345.2-101, February.
- USEPA, 1992a. Illinois CERCLIS listing, July 8.
- USEPA, 1992b. Illinois list of RCRA notifiers, July 24.
- U.S. Fish and Wildlife Service. National Wetlands Inventory map of Lake Zurich 7.5 minute quadrangle. Aerial photography dated October 1980.
- U.S. Fish and Wildlife Service. National Wetlands Inventory map of Arlington Heights 7.5 minute quadrangle. Aerial photography dated November 1981a.
- U.S. Fish and Wildlife Service. National Wetlands Inventory map of Wheeling 7.5 minute quadrangle. Aerial photography dated November 1981b.
- U.S. Geological Survey (USGS), 1960. Topographic map, Lake Zurich, IL, 7.5-minute quadrangle, photo-revised 1980.
- USGS, 1961. Topographic map, Palatine, IL, 7.5-minute quadrangle, photo-revised 1980.
- USGS, 1963a. Topographic map, Arlington Heights, IL, 7.5-minute quadrangle, photo-revised 1980.
- USGS, 1963b. Topographic map, Wheeling, IL, 7.5-minute quadrangle, photorevised 1980.

USGS, 1991. Water Resources Data, Illinois, Water Year 1991.

Willman, H.B., 1971. Summary of the Geology of the Chicago Area: Illinois State Geological Survey, Circular 460.

Appendix A

Arlington Heights Municipal Landfill

Site 4-Mile Radius Map and 15-Mile Surface Water Route Map

Milanapa.

SDMS US EPA Region V

Imagery Insert Form

Some images in this document may be illegible or unavailable in SDMS.

Please see reason(s) indicated below:

Unless otherwise	LOR or RESOLUTION variations. noted, these pages are available in monochrome. The source does the images. The original document is available for viewing at the Specify Type of Document(s) / Comments:	-
	iness Information (CBI).	
	ontains highly sensitive information. Due to confidentiality, mate ot available in SDMS. You may contact the EPA Superfund Rec document. Specify Type of Document(s) / Comments:	
information are n	ot available in SDMS. You may contact the EPA Superfund Rec document.	
Unscannable Mat Oversizedx_	ot available in SDMS. You may contact the EPA Superfund Rec document. Specify Type of Document(s) / Comments: erial:	ords Mai

Appendix B Arlington Heights Municipal Landfill USEPA Form 2070-13



Site Inspection Report

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 1 - SITE LOCATION AND INSPECTION INFORMATION

I. IDENT	FICATION
OI STATE	984781526

		PARTY-SITE	ELOCATION AND	INSPE	CTION INFORM	MATION					
THE NAME AND LOC	ATION	(· · · · · · · · · · · · · · · · · · ·	·						
\$1315 mil con	-	his name of stay	16:33	02 STRE	02 STREET, ROUTE NO., OR SPECIFIC LOCATION IDENTIFIER						
Arlington Heights Municipal Landfill					Kennicott Avenue						
Arlington Heights				IL	60004	COOK	97880	€]	DEST		
42. 08 46.0 088 59 46.0			A. PRIVATE	TYPE OF OWNERSHIP (Check one) A. PRIVATE B. FEDERAL C. STATE D. COUNTY F. OTHER							
EL BISPECTION INFORM					· · · · · · · · · · · · · · · · · · ·						
D) DATE OF HER ECTION		02 SITE STATUS Q ACTIVE	03 YEARS OF OPERA		107/	A	.—				
<u>04 ,14, 93</u>		CX INACTIVE		1968 Inning ye							
BA ACIENCY PERFORMING NO.		ACTOR BVWST		□ C. W	(UNICIPAL [] D.	MUNICIPAL CONTRACTOR					
DE. STATE DF. STATE		TRACTOR	Yame of Irm)		THER		(Name of	(man)			
OS CHIEF INSPECTOR			Name of firms 06 TITLE			(Specify) 07 ORGANIZATION	I OR TELEPH	ONE N	ه.		
John Quinn		. •	Project	Engir	neer	BVWST					
09 OTHER INSPECTORS			10 TITLE			11 ORGANIZATION	12 TELEPHONE NO.				
Stephen Me	hay		Project	Scier	ntist	BVWST	(312	346-	3775		
Alison Cat	a 1 do)	Technici	an .		BVWST	(312)	346	3775		
٠							()				
							()				
		•	,		(\	()				
13 SITE REPRESENTATIVES INTERVIEWED			14 TITLE		15ADDRESS	<u>, , , , , , , , , , , , , , , , , , , </u>	16 TELEP	HONE !	o		
		•									
		······································	 				-				
		, ser					()		-		
							()		! 		
						•	()				
:							()				
	5/	20-0900-1300				 ;					
17 ACCESS GANED BY (Cheef soot) XD PERMISSION D WARRANT	187	714-0800-2000 715-0800-1900	4/14 - Br	4/14 - Breezy and overcast, about 40°F 4/15 - Rain, about 40° - 5/20 - sunny about 60°F							
IV. INFORMATION AVA	ILAB	LE FROM					1				
Alan Altur			USEPA	USEPA					(312) 886+0390		
04 PERSON RESPONSIBLE F	FOR SIT	E INSPECTION FORM	05 AGENCY	08.0	PROANIZATION	07 TELEPHONE NO.	08 DATE				
Stephen Mehay			USEPA	B-\	/WST	(312)346-3775	75 08 10,93				



POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

OI STATE OR SITE NUMBER ILD 984781526 PART 2 - WASTE INFORMATION

L IDENTIFICATION

IL WASTE STATES, QUANTITIES, AND CHARACTERISTICS OI PHYSICAL STATES CHEE MAN AND 22 A ASTE CHARACTERISTICS CHEE MAN AND 02 WASTE QUANTITY AT SITE ---E SQLUBLE . I HIGHLY VOLATRE X A SOLD A TOXIC _ E SUMMY ens unknown B CCAROSIVE C RADIOACTIVE X D. PERSISTENT . F SFECTIOUS _ & POWDER PHES : J EXPLOSIVE . F UQUIO . G FLAMMELE .. C. SLUGGE A REACTIVE . H IGNITABLE LINCOMPATIBLE CUBC YARDS UNKNOWN M. NOT APPLICABLE NO. CF CRUMS UNKNOWN ∴ O OTHER III. WASTE TYPE CATEGORY SUBSTANCE NAME DI GROSS AMOUNT OR UNIT OF MEASURE OF COMMENTS d ince SLU OLW OILY WASTE SOL SOLVENTS **PS**0 PESTICIOES ∞ OTHER ORGANIC CHEMICALS 1OC INORGANIC CHEMICALS ACD ACIOS BAS BASES MES HEAVY METALS N. HAZARDOUS SUBSTANCES سسم کمی CONCENTRATION 01 CATEGORY 02 SUBSTANCE NAME 03 CAS NUMBER DI STORIGE/DISPOSAL METHOD 05 CONCENTRATION MES Aluminum 7429-90-5 8220 daa 15 ppb MES Arsenic 7440-38-2 107 MES Barium 7440-39-3 daa MES 7440-47-3 13.5 daa Chromium Cobalt MES 7440-48-4 11.1 daa MES 30.5 Copper 7440-50-8 daa MES 29 Lead 7439-92-1 daa MES Manganese 7439-96-5 781 nnh MES Mercury 7439-97-6 0.2 DDM MES Nickle 7440-02-0 38.0 daa MES ppm Salenium 7782-49-2 0.7. 7440<u>-62-</u>2 21.7 MES **Vanadium** daa MES 64.5 ppb Zinc 7440-66-6 OCC 460 Fluoranthene 206-44-0 daa OCC. 480 Pyrene 129-00-0 ppb 17 POS 000 ppb 72-54-8 V. FEEDSTCCKS ISAN ARROWS TO CAS TRANSPORT CATEGORY OI FEEDSTOCK NAME 02 CAS MINIBER CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER FDS FDS FDS FDS FD\$ FDS FOS FDS

BVWST SSI Report, 1993.

VL SOURCES OF INFORMATION ICA MACRE TOWARD & B. MAIN MIL MA

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 2 - WASTE INFORMATION

I, IDENT	TEICATION
OI STATE	02 SITE NUMBER

PDS DDT 50-29-3 7.1 J p PDS DDT 50-29-3 10 J p V.FEEDSTOCKS (San Addressing for CAS Mathorn)		
IN. WASTETYPE CATEGORY SUBSTANCE NAME 01 GROSS AMOUNT 02 UNT OF MEASURE 03 COMMENTS SLU SLUDGE 01 GROSS AMOUNT 02 UNT OF MEASURE 03 COMMENTS SUM SULVENTS 01 GROSS AMOUNT 02 UNT OF MEASURE 03 COMMENTS SOL SOLVENTS 01 GROSS 01	£	
CATEGORY SUBSTANCE NAME 01 GROSS AMOUNT 02 UNIT OF MEASURE 03 CCMMENTS SLU SLUGE		
SILU SLUGE OLW OILY WASTE SOL SOLVENTS PSD PESTICIDES OCC OTHER ORGANIC CHEMICALS IOC MORGANIC CHEMICALS IOC ACIDS BAS BASES MES HEAVY METALS IV. HAZARDOUS SUBSTANCES (30-4 ABANDAL STORAGE COS POSAL METMO) OI CATEGORY OI 20 SUBSTANCE NAME OI CATEGORY OI 20 SUBSTANCE NAME OI CATEGORY OI 20 SUBSTANCE NAME OI CATEGORY OI 10 J PDS DDT SD-29-3 10 J V. FEEDSTOCKS (50-4 Abandal Str Call Numbers) CATEGORY OI FEEDSTOCK NAME OI CATEGORY OI CATE		
OLW OILY WASTE SOL SOLVENTS PSO PESTICIDES OCC OTHER ORGANIC CHEMICALS IOC INDRIGANIC CHEMICALS BAS BASES MES HEAVY METALS IV. HAZARDOUS SUBSTANCES ISSUE ARRANGE PORT CAST MORBERI OI CATEGORY OI CATEGORY OI DE 72-55-9 7.1 J PDS DDT 50-29-3 10 J V. FEEDSTOCKS ISSUE ARRANGE INCOME.		
SOL SOLVENTS PSD PESTICIDES OCC OTHER ORGANIC CHEMICALS IOC INORGANIC CHEMICALS ACO ACIDS BAS BASES MES HEAVY METALS IV. HAZARDOUS SUBSTANCES IS ADDRAGUL AN MORE PROGRAMM ESTAN CLS NUMBER OF STORAGE POSPAL METHOD OS CONCENTRATION (C. P.		
PSO PESTICIDES OCC OTHER ORGANIC CHEMICALS IOC INORGANIC CHEMICALS ACD ACIOS BAS BASES MES HEAVY METALS IV. HAZARDOUS SUBSTANCES (due ADDRAIGH DE POLICIA MANDER) OI CATEGORY OZ SUBSTANCE NAME OJ CAS NUMBER OJ FEEDSTOCK NAME OJ CAS NUMBER OJ FEEDSTOCK NAME OJ FEEDSTOCK NAME OJ CAS NUMBER OJ FEEDSTOCK NAME OJ FEEDSTOCK NAME OJ CAS NUMBER OJ FEEDSTOCK NAME OJ CAS NUMBER OJ FEEDSTOCK NAME OJ CAS NUMBER OJ FEEDSTOCK NAME OJ FEEDSTOCK NAME OJ CAS NUMBER OJ CAS NUMBER OJ CAS NUMBER OJ FEEDSTOCK NAME OJ FEEDSTOCK NAME OJ CAS NUMBER OJ FEEDSTOCK NAME OJ CAS NUMBER OJ CAS NUMBER		
OCC OTHER ORGANIC CHEMICALS IOC INORGANIC CHEMICALS ACD ACIDS BAS BASES MES MEAVY METALS IV. HAZARDOUS SUBSTANCES (5.6. ABOOND) IN MICH ROCATION CENT CLS INCHORN) OI CATEGORY O2 SUBSTANCE NAME 03 CAS NUMBER 04 STORAGE/DISPOSAL METHOD 05 CONCENTRATION (50 PDS) DDE 72-55-9 7.1 J p PDS DDT 50-29-3 10 J p IV. HAZARDOUS DISPANCE NAME 05 CAS NUMBER 04 STORAGE/DISPOSAL METHOD 05 CONCENTRATION (50 PDS) DDT 50-29-3 10 J p V. FEEDSTOCKS (5.6. ABOOND) IN CAS NUMBER 04 CATEGORY 01 FEEDSTOCK NAME 0		
INCRIGANIC CHEMICALS ACD ACIDS BAS BASES MES MEANY METALS IV. HAZARDOUS SUBSTANCES ISSUE ADDITION OF THE PROPRIES OF THE P		
ACD ACIDS BAS BASES MES MEAVY METALS IV. HAZARDOUS SUBSTANCES (See Aboutous for most frequency ease CAS humbers) OI CATEGORY O2 SUBSTANCE NAME 03 CAS HUMBER 04 STORAGE/OISPOSAL METHOO 05 CONCENTRATION (C. P.		
BAS BASES MES HEAVY METALS IV. HAZARDOUS SUBSTANCES ISSUE ADDRAWS IN THE PROPARAME EAST CAS HUMBER OI CATEGORY OI CATEGORY OI CATEGORY OI SUBSTANCE NAME OI CATEGORY OI SUBSTANCE NAME OI CATEGORY OI SUBSTANCE NAME OI CATEGORY OI FEEDSTOCKS ISSUE ADDRAWS IN CAS HUMBER OI STORAGEIDISPOSAL METHOO OI SCICKENTRATICAL SET IN THE PROPARAME SET CAS HUMBER OI A STORAGEIDISPOSAL METHOO OI SCICKENTRATICAL SET IN THE PROPARAME SET CAS HUMBER OI STORAGEIDISPOSAL METHOO OI SCICKENTRATICAL SET IN THE PROPARAME OI FEEDSTOCK ISSUE ADDRAWS IN CAS HUMBER OI FEEDSTOCK NAME OI FE		
MES MEAVY METALS IV. HAZARDOUS SUBSTANCES (See Adecorate for most respectance safe CAS Number) OI CATEGORY OZ SUBSTANCE NAME OJ CAS NUMBER O4 STORAGE/DISPOSAL METHOO OS CONCENTRATION (SEE OF CAS NUMBER) PDS DDE 72-55-9 7.1 J p PDS DDT 50-29-3 10 J p III J p III J p V. FEEDSTOCKS (See Adecorate for CAS Number) V. FEEDSTOCKS (See Adecorate for CAS Number) CÂTEGORY O1 FEEDSTOCK NAME O2 CAS NUMBER CATEGORY O1 FEEDSTOCK NAME O		
IV. HAZARDOUS SUBSTANCES (55-0 ADDANGUS NO MOST PROGRAMME CATEGORY) O2 SUBSTANCE MAME O3 CAS NUMBER O4 STORAGE/DISPOSAL METHOD O5 CONCENTRATION O7 PDS DDT 50-29-3 10 J P V. FEEDSTOCKS (55-1 ADDANGUS No CAS MUMBER) O4 STORAGE/DISPOSAL METHOD O5 CONCENTRATION O5 CONCENTRATION O6 CONCENTRATION O7 PDS 7.1 J P V. FEEDSTOCKS (55-1 ADDANGUS No CAS MUMBER) O4 STORAGE/DISPOSAL METHOD O5 CONCENTRATION O5 CONCENTRATION O5 CONCENTRATION O5 CONCENTRATION O5 CONCENTRATION O6 CONCENTRATION O7 PDS 7.1 J P V. FEEDSTOCKS (55-1 ADDANGUS No CAS MUMBER) O1 FEEDSTOCK NAME O 1 FEEDSTOCK NAME O 1 FEEDSTOCK NAME		
91 CATEGORY 02 SUBSTANCE NAME 03 CAS NUMBER 04 STORAGE/ONSPOSAL METHOD 05 CONCENTRATION (\$\frac{1}{2}\$) PDS DDE 72-55-9 7.1 J p PDS DDT 50-29-3 10 J p		
PDS DDT 50~29~3 10 J p PDS DDT 50~29~3 10 J p V.FEEDSTOCKS (See Appendix the CAS Members) V.FEEDSTOCKS (See Appendix the CAS Members) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
PDS DDT 50~29~3 10 J p	MEASURE OF NCENTRATION	
V. FEEDSTOCKS (San Adoption for CAS Microsits) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0	pb	
V. FEEDSTOCKS (San Appendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0	pb	
V. FEEDSTOCKS (Sas Appendix for CAS Numbers) CATEGORY 01 FEEDSTOCK NAME Q2 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (San Address for CAS Minterest) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (San Address for CAS Minterest) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (San Appendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (San Appendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (San Appendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (San Appendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (San Appendix for CAS Mimbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (San Appendix for CAS Mimbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (5-1-Appendix Nor CAS Municipal) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (5-1-Appendix Nor CAS Municipal) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
V. FEEDSTOCKS (5-1 Appendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 0		
	5101111000	
FDS	02 CAS NUMBER	
	i	
FDS FOS	·	
FDS FDS	·····	
FDS FDS		
BVWST SSI Report, 1993		

&EPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

L IDENTIFICATION
O1 STATE 02 SITE NUMBER
ILD 984781526

AELY	PART 3 - DESCRIPTION OF HA	ZARDOUS CONDITIONS AND	INCIDENTS	ILD 1984	781526
L HAZARDOUS CONDITI	IONS AND INCIDENTS				
ALC: A COCK NOWATER		02 S CASERVED DATE 4/15/9	3 1	POTENTIAL	_ ALLEGED
well is on the	tected at 3 ppb in SSI east side of the site er within 4 miles.				
01 () B: SURFACE WATER	I CONTAMINATION	02 C 085ERVED DATE: 4/15/9	3_,	POTENTIAL	☐ ALLEGED
Several metals in samples take	ALLYAFFECTED: 0 , two semivolatiles an en from or near Buffal 15 miles of the site.	o Creek and an onsit			
01 C. CONTAMINATION		02 C OBSEPVEDIDATE		POTENTIAL	I ALLEGED
03 POPULATION POTENT	were detected at the	04 MARRATIVE DESCRIPTION Landfill R2 750 n	annla was	ida within	A miles
of the site.	s were detected at the	· Tanur i i i	eopie res	side Wichin	4 1111165
01 C 0. FIRE-EXPLOSIVE 03 POPULATION POTENT	· ·	02 II OBSERVED (DATE) 04 NARRATNE DESCRIPTION	1	POTENTAL	T ALLEGED
· NA	1				
01 () E. DIRECT CONTAC 03 POPULATION POTENT		OZ CIORSER VECI (DATE OA NARRATIVE DESCRIPTION	1	C POTENTIAL	_ ALLEGED
NA		•		•	
01 C F CONTAMINATION 03 AREA POTENTIALLY A		02 CL OBSERVED IDATE		POTENTIAL	_ ALLEGED
NA					
01 C.G. OFENCING WATER 03 POPULATION POTENT	R CONTAMINATION TIALLY AFFECTED	02 C OBSERVED (DATE	1	- POTENTIAL	_ ALLEGED
(see groundwa	ter contamination)			:	
O1 C H. WORKER EXPO G3 WORKERS POTENTIA No workers of	ULY AFFECTED:	02 DI OBSERVEDIDATE)	O POTENTIAL	□ ALLEGED
01 CL POPULATION EX	POSURE/INJURY	OZ [] OBSERVED (DATE		S POTENTIAL	C ALLEGED
OJ POPULATION POTENT	TALLY AFFECTED.	D4 NARRATIVE DESCRIPTION			

NA

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

٠.	DEN	III-ICA I ION
οj	STATE	02 SITE NUMBER 084781526
11	1 1)	1984781526

IL HAZARDOUS CONDITIONS AND INCIDENTS (Contribute)	······································		
01 [] J. DAMAGE TO FLORA 04 NARRATIVE DESCRIPTION	02 (OBSERVED (DATE:)	☐ POTENTIAL	3 ALLEGED
NA			
01 C. K. DAMAGE TO FAUNA 04 NARRATIVE DESCRIPTION (INCLUSO NAMEDIS) OF 28 DECRES	02 () OBSERVED (DATE:)	☐ POTENTIAL	G ALLEGED
NA			
01 & L. CONTAMINATION OF FOOD CHAIN 04 NARRATIVE DESCRIPTION	02 OBSERVED (DATE:)	POTENTIAL	C ALLEGED
It is assumed that the 15 mile down ditch and Des Plaines River) are fis		Creek, Wheeli	ing Drainage
01 M. UNSTABLE CONTAINMENT OF WASTES	02 C OBSERVED (DATE:)	I POTENTIAL	I ALLEGED
03 POPULATION POTENTIALLY AFFECTED:	04 NARRATIVE DESCRIPTION		•
NA			
01 C N. DAMAGE TO OFFSITE PROPERTY 04 NARRATIVE DESCRIPTION	02 C OBSERVED (DATE:)	POTENTIAL	☐ ALLEGED
NA .			
01 C O. CONTAMINATION OF SEWERS, STORM DRAINS, WWTP: 04 NARRATIVE DESCRIPTION	02 C OBSERVED (OATE:	D POTENTIAL	C ALLEGED
NA			
01 C P ILLEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION	02 C OBSERVED (DATE:] POTENTIAL	□ ALLEGED
NA .			
05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLE	EGED HAZARDS		
The landfill was alleged to have covaults.	ontaminated water that co	llected in IB	r telephone
III. TOTAL POPULATION POTENTIALLY AFFECTED: _52	,758		
IV. COMMENTS			
<u>-</u>	·		
V. SOURCES OF INFORMATION ICAO Specific Interences. 6 g., State Inter	I, Samore analysis, records;		
BVWST SSI, 1993			
IEPA, PA, 1990			

	247

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION

L IDENTIFICATION								
OI STATE	984781526							

[ILD | 384/81279 PART 4 - PERMIT AND DESCRIPTIVE INFORMATION IL PERMIT INFORMATION O1 TYPE OF PERMIT ISSUED OZ PERMIT NUMBER 03 DATE ISSUED 104 EXPIRATION DATE | 05 COMMENTS CA MPDES C 8. UIC CC. AR CO. RCRA C.E. RCRAINTERM STATUS C.F. SPCCPLAN C.G. STATE CH. LOCAL Service CL OTHER CJ. NONE M. SITE DESCRIPTION GZ AMCURT DO UNIT OF MEASURE 1 OF TREATMENT CHICAGO AND MANAGEMENT O1 STORAGE/DISPOSAL (Chica or four comme C. A. SURFACE IMPOUNDMENT I A INCENERATION C. A. BUILDINGS ON SITE C 8. PILES ☐ B UNDERGROUND INJECTION C. DRUMS, ABOVE GROUND I C CHEMICALIPHYSICAL (2) D. TANK, ABOVE GROUND C C BICLOGICAL OS AREA OF SITE G E TANK BELOW GROUND I E. WASTE OIL PROCESSING Acres I F SOLVENT RECOVERY CX F. LANDFILL 54 acres_____ C G OTHER PECYCUNG/RECOVERY C G. LANDFARM © H 07HE9 ____ CI H. OPEN DUMP G LOTHER ___ .50-0-74 07 COMMENTS IV. CONTAINMENT OI CONTARGENT OF WASTES (Cress over CIS MODERATE CIC ENADEQUATE, POOR & A. ADEQUATE, SECURE C: D. INSECURE, UNSOUND, DANGEROUS 02 DESCRIPTION OF DRUMS, DIVING, LINERS, BARRIERS ETC The area is covered with between 3.5 and 9.5 feet of soil. V. ACCESSIBILITY OI WASTE EASILY ACCESSIBLE: C YES CHO 02 COMMENTS The area is fenced and the landfill is covered.

BVWST SSI, 1993

VI. SOURCES OF INFORMATION ICH MINOR REPORTER A P. MINOR HALL MANNE PROPERTY AND THE SECOND PROPERTY A

I. IDENTIFICATION

\$EPA		SITE INSPECTION REPORT PART 5 - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA O1 STATE O2 SITE NUMBER ILD 984781526							
II. DRINKING WATER SUPPL	Y								
01 TYPE OF DRINKING SUPPLY (Check as appeciate)			02 STATUS				03	DISTANCE TO SITE	
SUR	FACE	WELL	ENDANGERE	D AFFEC	TED !	MONITORED			
****	. 0	B. C)	A. C	8. (_	c. 🗆 🖠	٨.	0.25 (m)	
		0. 🖏	0. 🔾	E. (<u> </u>	F. 🗆	8.	<u>U.25 (mi)</u>	+
III. GROUNDWATER									
O1 GROUNDWATER USE IN VICINITY C. A. ONLY SOURCE FOR DRIN	•	X B. DRINKING	DUSTRIAL, IRRIGATION	الباا	MMERCIAL.	INDUSTRIAL IRRIGA'	DON C	C O. NOT USED, UNUSEABLE	
02 POPULATION SERVED BY GROU	NO WAT	ER_ 10,177		03 DISTANCE	TO NEARE	ST DRINKING WATER	WELL 0	.25 (m)	
04 DEPTH TO GROUNOWATER		05 DIRECTION OF GRO	UNDWATER FLOW	OS DEPTH TO		07 POTENTIAL YIE OF AQUIFER	9	08 SOLE SOURCE AQUIFER	
20		unknowr)	0F CONC 100	(ft)	UP AUGIFER	(gpd)	☐ YES € HO	
09 DESCRIPTION OF WELLS Inches	-					L	- (gpo)	<u> </u>	
Private wells a dolomite aquife		enerally bet	tween 100 a	nd 300		deep and us	se th	e silurian	
10 RECHARGE AREA				11 DISCHAR	SE AREA				
☐ YES COMMENTS				C) YES	COMMEN	TS			
□.NO				O NO	I				
IV. SURFACE WATER								_	
01 SURFACE WATER USE (Check on	**						ť,		1
A. RESERVOIR, RECREA DRINKING WATER SOL			N. ECONOMICALLY IT RESOURCES	['] □ c. c	OMMERC	IAL, INDUSTRIAL	C	D. NOT CURRENTLY USED	
02 AFFECTED/POTENTIALLY AFFE	CTED BC	DOIES OF WATER							
NAME:						AFFECTE)	DISTANCE TO SITE	
Buffalo Creek_						x		(mi))
Wheeling Draina	ge D	itch					_	(mi)	ļ
Des Plaines River 9 (m)							1		
V. DEMOGRAPHIC AND PROPERTY INFORMATION							-		
01 TOTAL POPULATION WITHIN					[0	2 DISTANCE TO NEAF	EST POP	PULATION	
ONE (1) MILE OF SITE TWO (2) MILES OF SITE THREE (3) MILES OF SITE A. 2032 NO. OF PERSONS THREE (3) MILES OF SITE C. 24748 NO. OF PERSONS 200 feet (Xii)						<u>t (Xi)</u>	_		
03 NUMBER OF BUILDINGS WITHIN	TWO (2)	MILES OF SITE		04 DISTANC	E TO NEARI	ST OFF-SITE BUILDIA	KG		

05 POPULATION WITHIN VICINITY OF SITE (Pronde narrative description of nature of population within incinity of site, e.g., hurs. intege, densery populated urban areas

2884

In the vicinity of the site are densely populated suburban areas.

200 feet

Ω	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

SITE INSPECTION REPORT

LIDENTIFICATION

OF STATE OF SITE NUMBER

ILD 984781526

VUA	PART 5 - WATER, DEMOGRAPH	C, AND ENVIRONMENTAL DA	TA 110 1 984/81526
VI. ENVIRONMENTAL INFORMA	ATION		
OI PERMEABUTY OF UNSATURATED Z	ONE ICARE MA		
3 A 10~4 ~ 10~	** crivisec	0 1014 - 1013 cavsec	ATER THAN 10 ⁻³ CTV34C
02 PERMEABUTY OF BEDROCK (CHIE			
C A. MPERI Road Plan	MEABLE 3 B. RELATIVELY IMPERMEABLE 10 ⁻⁶ owner 110 ⁻⁶ control	LE XIII C. RELATIVELY PERMEABLE	© D. VERY PERMEABLE Greater than 18 ⁻² covered
03 DEPTH TO BEDROCK	04 DEPTH OF CONTAMINATED SOIL ZONE	05 SOIL pri	
175	none documented (m	<u>unknown</u>	
DE NET PRECENTATION	OT CHE SER ZE HOUR RANFALL	STE SLOPE DIRECTION OF	SITE SLOPE . TERRAIN AVERAGE SLOPE
5-15 inches		unknown unknown	unknown
OF PLOCO POTENTIAL			
SITE IS IN	C SITE IS ON BAPP	EPISLAND COASTAL HIGH HAZARD.	AREA, RIVERINE FLOODWAY
11 DISTANCE TO WETLANDS IS NOT THE	-	2 DISTANCE TO CRITICAL HABITAT	
ESTUARINE	OTHER	11	.5
A	8 <u>0.5</u> (m)	ENDANGERED SPECIES:U	nknown
13 CHIOUSE IN VIONATY			
DISTANCE TO: COMMERCIAL/INDUSTR	RESIDENTIAL AREAS, NATIO		AGRICULTURAL LANDS IG LAND AG LAND
1500 feet	в <u>200 fee</u>	et (m) c. 74 m	ii (ma) D. 74 mi (ma)

14 DESCRIPTION OF SITE IN RELATION TO SURPOUNDING TOPOGRAPHY

The landfill is the area with the most relief within 4 miles. Buffalo Creek is on the northwest side of the landfill and drains the area.

VIL SOURCES OF INFORMATION (CAN ADDRESS OF OPPOSITE & B. MAR DEL MORNE PROPER PROPERTY OF THE PROPERTY OF THE

BVWST SSI, 1993

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 6 - SAMPLE AND FIELD INFORMATION

I. IDENTIFICATION
O1 STATE 02 STE NUMBER
ILD 984781526

IL SAMPLES TAKE	N					
		01 NUM			02 SAMPLES SENT TO	OJ ESTMATED DATE
SAMPLE TYPE		500	PLES T			PESULTS AVAILABLE
GROUNDWATER		2TAL	& T	CL	USEPA Region V CRL	Presently
SURFACE WATER		4TAL	<u>& T</u>	CL_	USEPA Region V CRL	Presently
WASTE						
AIR	_					
RUNOFF						
SPILL						
SOIL		3TAL	. &	TCL	TAL - USEPA Region V CRL / TCL- Encotel	Presently
VEGETATION	-					
OTHER SEDI	MENT	5TAL	. &	TCL	TAL - USEPA Region V CRL / TCL-Analytical	Presently
IIL FIELD MEASUR	EMENTS TA	KEN			Resource	
OI TYPE		02 COA	MENT:	S		
- PID		No	fie	ld s	creening instrument readings above backgrou	nd were
	·	1			n the landfill or at any sampling location.	
					and completing recording	
						
		 				
		<u></u>			·	
IV. PHOTOGRAPHS					02 IN CUSTOOY OF BVWST	
01 TYPE & GROUN	·				-Name of organization of international	
O3 MAPS IS YES	04 LOCATION BVWST			nort	•	
U. OTHER FIELD D	<u> </u>					
V. OTHER PIELD D	ATA COLLE	JIEU	78409 M		(CAPIDAN)	
NA NA					,	
					·	
					> :	
		•				
VI. SOURCES OF II	NFORMATIO	N ICeo se	weste no	lerences, 6	s.g., state Mes, sample anerysis, records)	

EPA FORM 2070-13 (7-81)

BVWST SSI, 1993

1	HA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

LIDENTIFICATION

01 STATE | 02 STENAMER

TI D | 984781526

YUA		PART 7 - OWNER INFORMATION		ILD 984781526		
L CURRENT OWNERS)			PARENT COMPANY			
village of Arlington He	ights	02 D+8 NLA4BER	CE HAME		C9 D+8 NUMBER	
STREET ADDRESS # Q bis ###. ##!		04 SIC CODE	C STREET ADDRESS IP O Box. AFD P me I	<u> </u>	11 SIC COOE	
<u>33 S. Arlington Heights</u> Bar	KO.	07 2P COOE	13 CTY	13 STATE	14 ZIP COOE	
Arlington Heights	IL	60005-1499		1 1		
Arlington Heights		02 D+8 HUMBER	IS NAME	-	CO D+8 NUMBER	
-Contact- Dennis Bowe		708-577-5606				
23 STREET ADDRESS P Q. Box. MO F. onc.		04 SIC CODE	O STREET ADORESS IP O BOL APO F. ONE.		11 SC COOE	
os any	OF STATE	07 Z≯ COC€	· z dřív	IDSTATE	14 ZIP CODE	
O1 PANE		02 0+8 M,MBER	: e NAME		09 D+8 NUMBER	
03 STREET ADDRESS & O Bac MO! MC!		04 SIC COOE	10 STREET ADORESS IP 0 Box AFD F. onc.)		11 SIC CODE	
os anv	OR STATE	107 EP CCOE	ः वर	13 STATE	14 23° CODE	
DI NAME		02 D+8 NUMBER	38 NAME		C9 D+8 MUMBER	
03 STREET ADDRESS P 0 and MP / ME I		04 SIC CODE	10 STREET ADGRESS IP 0 Box MO1 occ1	•	11SC COOE	
05 CTV	CO STATE	ar ZP CCO€	: atv	13 STATE	14 ZP CODE	
M. PREVIOUS OWNERS)			IV. REALTY OWNER(S) of approximate and		<u></u>	
01 MANE		02 0+8 MUMBER	C. HAME	-	02 D+8 NUMBER	
03 STREET ADDRESS P 0 mm M9 / mm		04 SIC COCE	DESTREET ADOMESSING Box MBP once		04 SC COOE	
os arv	CESTATE	OT ZP CODE	06 0174	OG STATE	07 ZP CCCE	
O1 RAME		03 0+8 M.M.8ER	?* NAME		02 0+8 NUMBER	
CO STREET ACCRESS P O DEL MOT ML		04 SIC CODE	02 STREET ACCRESS # 0 But MO #. ORL		04 SIC CODE	
OS CITY	OE STATE	07 ZP COOE	०१ दंगार	: OS STATE	07 ZEP COOE	
01 804	<u> </u>	02 D+8 MIMBER	: HAVE		02 0+8 NUMBER	
03 STREET ADDRESS P. Q. Suc. MP F. CIL.)		04 SIC CODE	CO STREET ADORESS IP O But MOP. ORL		04 S/C COOE	
OSCITY	Ce STATE	67 ZP CODE	esaty	O6 STATE	07 Z= COO€	
Y. SOURCES OF INFORMATION (CO. 12)		4 g. 200 Test sample process	Publication :		L	
BVWST SSI. 1993					-	

Ω	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENT	IFICATION
O1 STATE	02 SITE NUMBER

,		P	ART 8 - OPERA	TOR INFORMATION	<u> </u>	
II. CURRENT OPERATOR (Provide & different from owner)				OPERATOR'S PARENT COMPANY IN ADDRESSOR		
OI NAME			0+8 NUMBER	10 NAME	13	1 0+8 NUMBER
03 STREET ADORESS (P.O. Bos.	AFD #, etc.)		04 SIC CODE	12 STREET ADDRESS IP.O. Bos. RFD (). etc.1	13 SIC CODE
os CITY		OS STATE OF	ZIP CODE	14 CITY	15 STATE	I & ZIP CODE
DE YEARS OF OPERATION	9 NAME OF OWNER		<u></u>			
III. PREVIOUS OPERATO	R(S) (Let most recent mi	: provide evy f (inflorent from owner)	PREVIOUS OPERATORS' PA	ARENT COMPANIES (# 1	50×(40×1)
01 NAME NA		02	D+8 NUMBER	10 NAME		11 0+B NUMBER .
03 STREET ADORESS IP.O. Bos.	RFD #, etc.)	_ 	04 SIC CODE	12 STREET ADDRESS (P.O. Box, AFD	P, 41C.)	13 SIC CODE
05 CITY	[STATE 07	ZIP COOE	14 CITY	15 STATE	16 ZIP CODE
08 YEARS OF OPERATION	NAME OF OWNER O	JAING THIS PE	ERIO0			
01 NAME		02	D+B NUMBER	10 NAME		110+8 NUMBER
03 STREET ADORESS (P.O. Box.			04 SIC CODE	12 STREET ADDRESS (P.O. Soz. RFD	¢, sic.;	13 SKC COCE
05 CITY		OS STATE OF	ZIP CODE	14 GITY	15 STATE	16 ZIP COO€
DB YEARS OF OPERATION	NAME OF OWNER D	URING THIS P	ERIOO		F.	
O I NAME		02	D+8 NUMBER	10 NAME		11 0+8 NUMBER
03 STREET ADDRESS IP O. BOA.	RFD #, elc.)		04 SIC CODE	12 STREET ADDRESS IP O BOL AFO) d, etc j	13 SIC CODE
OS CITY	:	06 STATE 07	ZIP CODE	14 CITY	15 STATE	16 ZIP CODE
08 YEARS OF OPERATION	OF OWNER D	URING THIS P	ERIOD			
IV. SOURCES OF INFOR	MATION (Cte soeche	relorencea, e.g.,	, slate files, samore energ	se, 1000rt2)		
:			•	*		
		٠.		• 1.	-	
•						
		•				

≎EP A
IL ON-SITE GENERATOR
OI RAME
G3 STREET ADDRESS P G Sec. MO F.
OS CITY
IL OFF-SITE GENERATORIS
01 NAME
CO STREET ADDRESS IP C. Am. AFD F.
OS CYTY

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

L IDENTIFICATION

01 STATE 02 SITE NUMBER

VLIA	PART	- GENERATORT	RANSPORTER INFORMATION	-	
L ON-SITE GENERATOR					
1 HAME		02 0 + 8 M.M.BEA			
STREET ADDRESS IF G. Sas. AFD F. SELJ		04 SIC CODE	_		
sarv	OG STATE	O7 ZP CODE			
P OFF PITT OFFER TOOMS		<u> </u>			
IL OFF-SITE GENERATOR(S)		las a suppose			
91 NAME		02 0+8 MARER	O' HAME	los	D+8 NUMBER
STREET ADDRESS # 0. Am. AFB /, ma.)		04 SIC CODE	CO STREET ADDRESS IP O Box MOP, me.)		04 SIC CODE
SOTY	OR STATE	07 29 COCE	as any	OS STATE 07	ZIP CODE
II NAVE	. 	GZ D+8 MJAMBER	S. HAME	02	D+8 NUMBER
STREET ACCRESS P O BAL APP. JAL.		04 SIC €20€	03 STREET ADDRESS (P.D. dec. APD P. off.)		04 SIC CODE
is on	OG STATE	07 2P COOE	os any .	O6 STATE 07	ZIP CODE
IV. TRANSPORTER(S)	! -			!	
T KAME		GS C+8 MINNSEN	C' NAME	02	D+8 NUMBER
STREET ADDRESS P Q am, MO F. MLJ		04 SEC COCE	DE STREET ADORESS IP 0 Box. BFD P. MEJ		04 SIC CODE
IS CITY	CE STATE	07 ZP CODE	es arv	CO STATE O	7 ZIP COOE
)) RAME	<u> </u>	OZ D+ B MINISER	: NAME	C:	D+B NUMBER
STREET ADDRESS # 0 Bis, M/9/, mu	7	04 SC COOE	COSTREET ADDRESS PO BOL AFOR ORLA		04 SIC COOE
S CITY	CE STATE	E 07 25° C20€	IS CITY	OSTATE O	7 ZP COOE
		4 g., 3474 Mal. Auriga provi			

Y	

POTENTIAL HAZARDOUS WASTE SITE

ı	l L	10	EN'	TF	CAT	noı	١
ì	01	57	A TE	02	CITE	14 1	200

0.1 C. U. GROUT CURTAIN GONSTRUCTED 0.2 DATE 0.3 AGENCY 0.	YEFA	PART 10 - PAST RESPONSE ACTIVITIES	
01 C S. CAPPINDICOVERING	AST RESPONSE ACTIVITIES (Common)		
03 AGENCY 03 AGENCY 03 AGENCY 03 AGENCY 04 DESCRIPTION 02 DATE 03 AGENCY 03 AGENCY 04 DESCRIPTION 02 DATE 03 AGENCY 05 AGENCY		O2 DATE	03 AGENCY
0.1 C. U. GROUT CURTAIN GONSTRUCTED 0.2 DATE 0.3 AGENCY 0.		02 DATE	03 AGENCY
01 02 DATE		02 DATE	03 AGENCY
0.1 C W. GAS CONTROL		02 DATE	03 AGENCY
01		02 DATE	03 AGENCY
04 DESCRIPTION 1)		02 DATE	03 AGENCY
01 C Z. AREA EVACUATED 04 DESCRIPTION 01 C 1. ACCESS TO SITE RESTRICTED 04 DESCRIPTION 01 C 2. POPULATION RELOCATED 04 DESCRIPTION 01 C 2. POPULATION RELOCATED 04 DESCRIPTION 01 C 3. OTHER REMEDIAL ACTIVITIES 02 DATE 03 AGENCY 04 DESCRIPTION 01 C 3. OTHER REMEDIAL ACTIVITIES 02 DATE 03 AGENCY 04 DESCRIPTION		02 DATE	03 AGENCY
01 C 1. ACCESS TO SITE RESTRICTED 02 DATE		02 DATE	03 AGENCY
01 □ 1. ACCESS TO SITE RESTRICTED 02 DATE		02 DATE	. 03 AGENCY
01 D 3. OTHER REMEDIAL ACTIVITIES 02 DATE		02 DATE	
04 DESCRIPTION		02 DATE	. 03 AGENCY
		02 DATE	. 03 AGENCY
		•	:
			:
SOURCES OF INFORMATION ICRe specific reterences, e.g., state time, summer anarysis, reports!	SOURCES OF INFORMATION ACRE SOURCE FO	pronces, e.g., state files, sample anarrais, reports!	

•	
	HA
~	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

Ļ	DENT	F	CAT	MOL	
יכ	STATE	CS	SIE	HUM	ŒΑ

7 C/A	ATT 10 - PAST RESPONSE ACTIV	I
PAST RESPONSE ACTIVITIES		
01 G A WATER SUPPLY CLOSED 04 DESCRIPTION	OZ DATE	03 AGENCY
01 G 8. TEMPORARY WATER SUPPLY PROVICES 04 DESCRIPTION	02 DATE	03 AGENCY
01 C C. PERMANENT WATER SUPPLY PROVICED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C D. SPILLED MATERIAL REMOVED 04 DESCRIPTION	CZ DATE	03 AGENCY
01 C E. CONTAMNATED SOIL REMOVED 04 DESCRIPTION	OZ DATE	03 AGENCY
01 C F. WASTE REPACKAGED 04 DESCRIPTION	C2 DAYE	03 AGENCY
01 C.G. WASTE DISPOSED ELSEWHERE 04 DESCRIPTION	GZ CATE	03 AGENCY
01 G H CH STE BURIAL 04 DESCRIPTION	GZ DATE	03 AGENCY
01 () I. IN SITU CHEMICAL TREATMENT 04 DESCRIPTION	OZ DATE	03 AGENCY
01 C J. IN SITU BIOLOGICAL TREATMENT 04 DESCRIPTION	GZ DATE	03 AGENCY
01 G K. IN SITU PHYSICAL TREATMENT 04 DESCRIPTION	GZ DATE	03 AGENCY
01 G L ENCAPSULATION 04 DESCRIPTION	C2 DATE	03 AGENCY
01 C M. EMERGENCY WASTE TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY
01 G N. CUTOFF WALLS 04 DESCRIPTION	02 DATE	03 AGENCY
01 C O. EMERGENCY OKING/SURFACE WATER DO	VERSION 02 DATE	03 AGENCY
01 C P, CUTOFF TRENCHES/SUMP 04 DESCRIPTION	OZ DATE	03 AGENCY
01 () Q. SUBSURFACE CUTOFF WALL.	C2 DATE	03 AGENCY

^		
. .	<u> </u>	JN

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

) L	IDEN	TIFICA	TION
01	STATE	02 SITE	NUMBER

Phul / \	PART 10 - PAST RESPONSE ACTIVITIES	
AST RESPONSE ACTIVITIES (Contries)		
01 C R. BARRIER WALLS CONSTRUCTED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C. S. CAPPING/COVERING 04 DESCRIPTION	02 DATE	03 AGENCY
01 C. T. BULK TANKAGE REPAIRED 04 DESCRIPTION	02 DATE	03 AGENCY
01 © U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C V. BOTTOM SEALED 04 DESCRIPTION	02 DATE	03 AGENCY
01 T. W. GAS CONTROL 04 DESCRIPTION	02 DATE	03 AGENCY
01 C X. FIRE CONTROL 04 DESCRIPTION		03 AGENCY
01 C Y, LEACHATE TREATMENT 04 DESCRIPTION	02 OATE	03 AGENCY
01 C: Z. AREA EVACUATED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C. 1. ACCESS TO SITE RESTRICTED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C 2. POPULATION RELOCATED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C 3. OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION	02 DATE	03 AGENCY
		;
	· · · · · · · · · · · · · · · · · · ·	
		·
SOURCES OF INFORMATION ICRO SECRET POL	terences, 9.g., State tree, surnive energies, redocts)	



POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 11 - ENFORCEMENT INFORMATION

L IDENTIFICATION
OI STATE OF STE NAMED
ILD 984781526

IL ENFORCEMENT INFORMATION

OF 22Y DISTANCE THEMSONOWING MACTION OF TEXT

02 DESCRIPTION OF FEDERAL STATE LOCAL REGULATORY ENFORCEMENT ACTION

Summary of Onsite Environmental Work

IEPA observed leachate seeps at undocumented locations at the landfill in 1972, 1978, 1979, and 1984 (IEPA, 1989b). Only the 1984 seep was samples.

During a December 16, 1975, IEPA inspection, approximately 100, 55-gallon drums were observed at the southwestern corner of the landfill, near the water tank (IEPA, 1989a 1989b). Most drums appeared empty. Labels were observed on the drums (AERO Shell Fluid #4, Dupont Fluor Carbon TF & TE solvent, and light Cy.

The AHML was listed on the CERCLIS list in February 1990. A second PA was performed in August 1990 by IEPA, resulting in a medium priority recommendation for further investigation IEPA, 1990).

M. SOURCES OF INFORMATION ICE MADE PROPERTY OF A MADE AND ADDRESS PROPERTY AND ADDRESS AND

Appendix C

Arlington Heights Municipal Landfill

(mari

Target Compound List and Target Analyte List

Target Compound List

Volatiles

Chloromethane
Bromomethane
Vinyl Chloride
Chloroethane
Methylene Chloride

Acetone

Carbon Disulfide 1,1-Dichloroethene 1,1-Dichloroethane

1,2-Dichloroethene (total)

Chloroform

1,2-Dichloroethane

2-Butanone

1,1,1-Trichloroethane Carbon Tetrachloride Bromodichloromethane 1,2-Dichloropropane Cis-1,3-Dichloropropene

Trichloroethene

Dibromochloromethane 1,1,2-Trichloroethane

Benzene

trans-1,3-Dichloropropane

Bromoform

4-Methyl-2-pentanone

2-Hexanone

Tetrachloroethene

Toluene

1,1,2,2-Tetrachloroethane

Chlorobenzene Ethyl benzene

Styrene

Xylenes (total)

Source:

HILLIAN,

Target Compound List for water and soil with low or medium levels of volatile and semi-volatile organic contaminants, as shown in the Quality Assurance Project Plan for Region V Superfund Site Assessment Program, B&V Waste Science and Technology Corp. (BVWST), September 27, 1991.

Target Compound List (Continued)

Semi-Volatiles

Acenaphthene

Phenol

Source:

bis(2-Chloroethyl) ether 2,4-Dinitrophenol 4-Nitrophenol 2-Chlorophenol 1,3-Dichlorobenzene Dibenzofuran 1,4-Dichlorobenzene 2.4-Dinitrotoluene 1,2-Dichlorobenzene Diethylphthalate 2-Methylphenol 4-Chlorphenyl-phenyl ether 2.2'-oxybis-(1-Chloropropane) Fluroene 4-Nitroaniline 4-Methylphenol N-Nitroso-di-n-dipropylamine 4,6-Dinitro-2-methylphenol Hexachloroethane N-Nitrosodiphenylamine Nitrobenzene 4-Bromophenyl-phenyl ether Isophorone Hexachlorobenzene 2-Nitrophenol Pentachlorophenol

2,4-Dimethylphenol Phenanthrenel
bis(2-Chloroethoxy) methane Anthracene
2,4-Dichlorophenol Carbazole

2,4-Dichlorophenol Carbazole
1,2,4-Trichlorobenzene Di-n-butylphthalate

Naphthalene
4-Chloroaniline
Pyrene
Hexachlorobutadiene
4-Chloro-3-methylhenol
Butyl benzyl phthalate
3,3-Dichlorbenzidine

4-Chloro-3-methylhenol 3,3-Dichlorbenzidine
2-Methylnaphthalene Benzo(a)anthracene
Hexachlorocyclopentadiene Chrysene

2,4,6-Trichlorophenol bis(2-Ethylhexyl)phthalate
2,4,5-Trichlorophenol Di-n-Octyphthalate
2-Chloronephthalene Benzo(b)fluoranthene
2-Nitroapiline Benzo(k)fluoranthene

2-Nitroaniline Benzo(k)fluoranthene Dimethylphthalate Benzp(a)pyrene

Acenaphthylene Indeno(1,2,3-cd)pyrene 2,6-Dinitrotoluene Dibenzo(a,h)anthracene

3-Nitroaniline Benzo(g,h,i)perylene

Target Compound List for water and soil with low or medium levels of volatile and semi-volatile organic contaminants, as shown in the

Ouality Assurance Project Plan for Region V Superfund Site

Assessment Program, BVWST, September 27, 1991.

Target Compound List (Continued)

Pesticide/PCB

alpha-BHC 4,4-DDT beta-BHC Methoxychlor delta-BHC Endrin ketone gamma-BHC (Lindane) Endrin aldehyde Heptachlor alpha-chlordane Aldrin gamma-chlordane Heptachlor epoxide Toxaphene Endosulfan I Aroclor-1016 Dieldrin Aroclor-1221 **4,4-DDE** Aroclor-1232 **Endrin** Aroclor-1242 Endosulfan II Aroclor-1248 4,4-DDD Aroclor-1254 Endosulfan sulfate Aroclor-1260

Source:

Transport of the last of the l

(CHIMP)

Target Compound List for water and soil containing less than high concentrations of pesticides/aroclors, as shown in the Quality Assurance Project Plan for Region V Superfund Site Assessment Program, BVWST, September 27, 1991.

Target Analyte List

Aluminum Magnesium **Antimony** Manganese Arsenic Mercury Barium Nickel Beryllium Potassium Cadmium Selenium Calcium Silver Chromium Sodium Cobalt Thallium Vanadium Copper Iron Zinc Lead Cyanide

Source:

Target Analyte List in the Quality Assurance Project Plan for

Region V Superfund Site Assessment Program, BVWST, September

27, 1991.

Appendix D Arlington Heights Municipal Landfill Analytical Results

Volatile Organic Analysis for Groundwater Samples Arlington Heights Municipal Landfill

Valadia C	Sample Location and Number			
Volatile Compound	Concentrations in μ g/L			
	<u>GW01</u>	GW02		
Dichlorodifluoromethane	3 U	3 U		
Chloromethane	3 U	3 U		
Vinyl Chloride	3 U	3 U_		
Bromomethane	3 U	3 U		
Chloroethane	3 U	3 U		
Trichlorofluormethane	3 U	3 U		
Acrolein	10 U	10 U		
1,1-Dichloroethene	2 U	2 U .		
Acetone	· 10 U	11 U		
Carbon Disulfide	2 U	1 U		
Methylene Chloride	2 U	2 U		
trans-1,2-Dichloroethene	2 U	2 U		
Acrylonitrile	10 U	10 U		
1,1-Dichloroethane	2 U	2 U		
Vinylacetate	10 U	10 U		
2,2-Dichloropropane	2 U	2 U_		
cis-1,2-Dichloroethene	2 U	2 U_		
2-Butanone	10 U	10 U		
Bromochloromethane	2 U	2 U		
Chloroform	2 U	2 U		
1,1,1-Trichloroethane	2 U	2 U		
Carbon Tetrachloride	2 U	2 U		
1,1-Dichloropropene	- 2 U	2 U		
Benzene	2 U	2 U		
1,2-Dichloroethane	10 U	11 U		
Trichloroethene	2 U	2 U		
1,2-Dichloropropane	2 U	2.U		
Dibromomethane	2 U	2 U		
2-Chloroethyl vinylether	10 U	10 U		
Bromodichloromethane	2 U	2 U		
cis-1,3-Dichloropropene	2 U	2 U		
Toluene	2 U	2 U		
4-Methyl-2-Pentanone	5 U	5 U		
trans-1,3-Dichloropropene	2 U	2 U		
Tetrachloroethene	2 U	2 U		
1,1,2—Trichloroethane	2 U	2 U		
1,3-Dichloropropane	2 U	2 U		
2-Hexanone	5 U	5 U		
Dibromochloromethane	2 U	2 U		
1,2-Dibromoethane	2 U	2 U		
Chlorobenzene	2 U	2 U		
		0.77		
1,1,1,2—Tetrachloroethane	2 U			
Ethylbenzene	2 U	2 U		
m &/or p-Xylene	2 U	2 U		
o-xylene	2 U	2 U		
Styrene	2 <u>U</u>	2 U		
Bromoform	2 U	2 U		
Isopropylbenzene	2 U	2 U		
Bromobenzene	2 U	2 U		
1,2,3—Trichloropropane	2 U	2 U		
1,1,2,2-Tetrachloroethane	2 U	2 U		

Volatile Organic Analysis for Groundwater Samples Arlington Heights Municipal Landfill

	Cample Lawy			
	Sample Location and Number			
Volatile Compound	Concentrations in μg/L			
	GW01	GW02		
n-Propylbenzene	2 U	2 U		
2-Chlorotoluene	2 U	2 U		
4-Chlorotoluene	2 U	2 U		
1,3,5—Trimethylbenzene	2 U	2 U		
tert-Butylbenzene	2 U	2 U		
1,2,4-Trimethylbenzene	2 U	2 U		
sec-Butylbenzene	2 U	2 U		
1,3-Dichlorobenzene	2 U	2 U		
1,4-Dichlorobenzene	2 U	2 U		
p-Isopropyltoluene	2 U	2 U		
1,2-Dichlorobenzene	_2 U	2 U		
n-Butylbenzene	2 U	2 U		
1,2-Dibromo-3-chloropropane	2 U	2 U		
1,2,4—Trichlorobenzene	2 U	2 U		
Naphthalene	2 U	2 U		
Hexachlorobutadiene	_ 2 U	2 U		
1,2,3-Trichlorobenzene	2 Ų	2 U		
Total Number of TICs *	2			

NOTE: * - Number, not concentrations, of tentatively identified compounds (TICs) found in each sample.

Volatile Organic Analysis for Groundwater Samples Tentatively Identified Compounds Arlington Heights Municipal Landfill Concentrations in μ g/L

Sample GW01		
Compound Name	Retention Time	Estimated Concentration
Unknown	11.46	3 J
Ethane, 1-bromo-2-chloro	15.46	5 U
Sample GW02	<u>. </u>	<u> </u>
Compound Name	Retention Time	Estimated Concentration
Ethane, 1-bromo-2-chloro	15.46	5 U

Vinne)

Semi-volatile Organic Analysis for Groundwater Samples Arlington Heights Municipal Landfill

	Sample Location and Number			
Semi-volatile Compound	Concentrations in μ g/L			
	GW01	GW02		
Phenol	2 U	2 U		
bis(2-Chloroethyl)Ether	2 U	2 U		
2-Chlorophenol	2 U	2 U		
1,3-Dichlorobenzene	2 U	2 U		
1,4-Dichlorobenzene	2 U	2 U		
Benzyl alcohol	2 U	2 U		
1,2-Dichlorobenzene	3 U	3 U		
2-Methylphenol	1 U	1 U		
bis(2-chloroisopropyl)ether	3 U	3 U		
4-Methylphenol	1 U	1 U		
N-Nitroso-Di-n-propylamine	2 U	2 U		
Hexachioroethane	2 U	2 U		
Nitrobenzene	3 U	3 U		
Isophorone	3 U	3 U		
2-Nitrophenol	. 2 U	2 U		
2,4-Dimethylphenol	2 U	2 U		
Benzoic acid	30 U	30 U		
bis(2-Chloroethoxy)Methane	3 U	3 U		
2,4-Dichlorophenol	2 U	2 U		
1,2,4-Trichlorobenzene	2 U	2 U		
Naphthalene	2 U	2 U		
4-Chloroaniline	2 U	2 U		
Hexachlorobutadiene ·	3 U	3 U		
4-Chloro-3-Methylphenol	2 U	2 U		
2-Methylnaphthalene	2 U	2 U		
Hexachlorocyclopentadiene	2 U	2 U		
2,4,6-Trichlorophenol	2 U	2 U		
2,4,5-Trichlorophenol	2 U	2 U		
2-Chloronaphthalene	2 U	2 U		
2-Nitroaniline	3 U	3 U		
Dimethylphthalate	2 U	2 U		
Acenaphthylene	2 U	2 U		
2,6-Dinitrotoluene	1 U	1 U		
3-Nitroaniline	3 U	3 U		

Semi-volatile Organic Analysis for Groundwater Samples Arlington Heights Municipal Landfill

	- 			
	Sample Location and Number			
Semi-volatile Compound	Concentrations in µg/L			
	GW01	GW02		
Acenaphthene	2 U	2 U		
2,4-Dinitrophenol	15 U	15 U		
4-Nitrophenol	2 U	2 U		
Dibenzofuran	1 U	1 U		
2,4-Dinitrotoluene	1 U	1 U		
Diethylphthalate	1 U	1 U		
4-Chiorophenyl-phenylether	1 U	1 U		
Fluorene	1 U	1 U		
4-Nitroaniline	3 U	3 U		
4,6-Dinitro-2-Methylphenol	15 U	15 U		
n-Nitrosodiphenylamine	2 U	2 U		
4-Bromophenyl-phenylether	2 U	2 U		
Hexachlorobenzene	2 U	2 U		
Pentachlorophenol	2 U	2 U		
Phenanthrene	1 U	1 U		
Anthracene	3 U	3 U		
di-n-Butylphthalate	2 U	2 U		
Fluoranthene	2 U	2 U		
Pyrene	2 U	2 U		
Butylbenzylphthalate	4 U	4 U		
Benzo(a)Anthracene	2 U	2 U		
Chrysene	2 U	2 U		
bis(2-Ethylhexyl)Phthalate	2 U	2 U		
di-n-Octylphthalate	2 U	2 U		
Benzo(b)Fluoranthene	2 U	2 U		
Benzo(k)Fluoranthene	2 U	2 U		
Benzo(a)Pyrene	2 U	2 U		
Indeno(1,2,3-cd)Pyrene	4 U	4 U		
Dibenzo(a,h)Anthracene	3 U	3 U		
Benzo(g,h,i)Perylene	4 U	4 U		
Total Number of TICs *	0	0		

NOTE: * - Number, not concentrations, of tentatively identified compounds (TICs) found in each sample.

Pesticide and PCB Analysis for Groundwater Samples Arlington Heights Municipal Landfill

L	~ 		
	=	ion and Number	
Pesticide/PCB	Concentrations in μ g/L		
	GW01	GW02	
Alpha-BHC	0.020 U	0.020 U	
Beta-BHC	0.020 U	0.020 U	
Delta-BHC	0.020 U	0.020 U	
Gamma-BHC (Lindane)	0.020 U	0.020 U	
Heptachlor	0.030 U	0.030 U	
Aldrin	0.020 U	0.020 U	
Heptachlor Epoxide	0.010 U	0.010 U	
Endosulfan I	0.010 U	0.010 U	
Dieldrin	0.010 U	0.010 U	
4,4'-DDE	0.020 U	0.020 U	
Endrin	0.010 U	0.010 U	
Endosulfan II	0.010 U	0.010 U	
4,4'-DDD	0.040 U	0.040 U	
Endosulfan Sulfate	0.13 U	0.13 U	
4,4'-DDT	0.020 U	0.020 U	
Methoxychlor	0.020 U 0.020 U		
Endrin Ketone	0.030 U	0.030 U	
Endrin Aldehyde	0.050 U	0.050 U	
Alpha-Chlordane	0.025 U	0.025 U	
Gamma-Chlordane	0.025 U	0.025 U	
Toxaphene	1.0 U	1.0 U	
Aroclor-1016	0.20 U	0.20 U	
Aroclor-1221	0.20 U	0.20 U	
Aroclor-1232	0.20 U	0.20 U	
Aroclor-1242	0.20 U	0.20 U	
Aroclor-1248	0.20 U	0.20 U	
Aroclor-1254	0.20 U	0.20 U	
Aroclor-1260	0.20 U	0.20 U	

Inorganic Analysis for Groundwater Samples Arlington Municipal Heights Landfill

L			
	Sample Locations and Number		
Metals and	Concentrations in μ g/L		
Cyanide	GW01	GW02	
Aluminum	98.0 U	98.0 U	
Antimony	12	· 10	
Arsenic	2 U	3	
Barium	43.8	62.6	
Beryllium	1.0 U	1.0 U	
Cadmium	0.2 U	0.2 U_	
Calcium	161000	110000	
Chromium	10.0 U	10.0 U	
Cobalt	7.0 U	7.0 U	
Copper	7.0 U	7.0 U	
Iron	3510	98.0 U	
Lead	2 U	2 U	
Magnesium	64400	55600	
Manganese	186	50.0	
Mercury	0.1 UJ	0.1 UJ	
Nickel	18.0 U	18.0 U	
Potassium	6100 U	6100 U	
Selenium	2 U	2 U	
Silver	7.0 U	7.0 U	
Sodium	58600	40500	
Thallium	2 U	2 U	
Vanadium	6.0 U	6.0 U	
Zinc	49.0 U	49.0	
Cyanide	8 U	8 U	

Volatile Organic Analysis for Surface Water Samples Arlington Heights Municipal Landfill

	Sample Location and Number				
Volatile Compound	Concentrations in μg/L				
	SW01 SW02 SW03 SW				
Dichlorodifluoromethane	3 U	3 U	3 U	3 U	
Chloromethane	3 U	3 U	3 U	2 U	
Vinyl Chloride	3 U	3 U	3 U	3 U	
Bromomethane	3 U	3 U	3 U	3 U	
Chloroethane	3 U	3 U	3 U	3 U	
Trichlorofluormethane	3 U	3 U	3 U	3 U	
Acrolein	10 U	10 U	10 U	10 U	
1,1-Dichloroethene	2 U	2 U	2 U	2 U	
Acetone	10 U	10 U	13 U	10 U	
Carbon Disulfide	2 U	2 U	2 U	2 U	
Methylene Chloride	2 U	2 U	2 U	2 U	
trans-1,2-Dichloroethene	2 U	2 U	2 U	2 U	
Acrylonitrile	10 U	10 U	10 U	10 U	
1,1-Dichloroethane	2 U	2 U	2 U	2 U	
Vinylacetate	10 U	10 U	10 U	10 U	
2,2-Dichloropropane	2 U	2 U	2 U	2 U	
cis-1,2-Dichloroethene	2 U	2 U	2 U	2 U	
2-Butanone	10 U	10 U	10 U	10 U	
Bromochloromethane	2 U	2.U	2 U	2 U	
Chloroform	2 U	2 U	2 U	2 U	
1,1,1-Trichloroethane	2 U	2 U	2 U	2 U	
Carbon Tetrachloride	2 U	2 U	2 U	2 U	
1,1-Dichloropropene	2 U	2 U	2 U	2 U	
Benzene	2 U	2 U	2 U	2 U	
1,2-Dichloroethane	9 U	10 U	11 U ,	13 U	
Trichloroethene	2 U	2 U	2 U	2 U	
1,2-Dichloropropane	2 U	2 U	2 U	2 U	
Dibromomethane	2 U	2 U	2 U	2 U	
2-Chloroethyl vinylether	10 U	10 U	10 U	10 U	
Bromodichloromethane	2 U	2 U	2 U	2 U	
cis-1,3-Dichloropropene	2 U	2 U	2 U	2 U	
Toluene	2 U	2 U	2 U	2 U	
4-Methyl-2-Pentanone	5 U	5 U	5 U	5 U	
trans-1,3-Dichloropropene	2 U	2 U	2 U	2 U	

Volatile Organic Analysis for Surface Water Samples Arlington Heights Municipal Landfill

XX 1 G	Sample Location and Number			
Volatile Compound	Concentrations in μ g/L			
	SW01	SW02	SW03	SW04
Tetrachloroethene	2 U	2 U	2 U	2 U
1,1,2-Trichloroethane	2 U	2 U	2 U	2 U
1,3-Dichloropropane	2 U_	2 U	2 U	2 U
2-Hexanone	5 U	5 U	5 U	5 U
Dibromochloromethane	2 U	2 U	2 U	2 U
1,2-Dibromoethane	2 U	2 U	2 U	2 U
Chlorobenzene	2 U	2 U	2 U	2 U
1,1,1,2-Tetrachloroethane	2 U	2 U	2 U	2 U
Ethylbenzene	2 U .	2 U	2 U	2 U
m &/or p-Xylene	2 U	2 U	2 U	· 2 U
o-xylene	2 U	2 U	2 U	2 U
Styrene	2 U	2 U	2 U	2 U
Bromoform	2 U	2 U	2 U	2 U
Isopropylbenzene	2 U	2 U	2 U	2 U
Bromobenzene	2 U	2 U	2 U	2 U
1,2,3—Trichloropropane	2 U	2 U	2 U	2 U
1,1,2,2-Tetrachloroethane	2 U	2 U	2 U	2 U
n-Propylbenzene	2 U	2 U	2 U	2 U
2-Chlorotoluene	2 U	2 U	2 U	2 U
4-Chlorotoluene	2 U	2 U	· 2 U	2 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U_
tert-Butylbenzene	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U
sec-Butylbenzene	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	2 U	2 U	2 U ,	2 U
1,4-Dichlorobenzene	2 U	2 U	2 U	2 U
p-Isopropyltoluene	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	2 U	2 U	2 U	2 U
n-Butylbenzene	2 U	2 U	2 U	2 U
1,2-Dibromo-3-chloropropane	2 U	2 U	2 U	2 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	_2 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U
1,2,3-Trichlorobenzene	2 Ų	2 U	2 U	2 U
Total Number of TICs *	1	1	3	3

NOTE: * - Number, not concentrations, of tentatively identified compounds (TICs) found in each sample.

Volatile Organic Analysis for Surface Water Samples Tentatively Identified Compounds Arlington Heights Municipal Landfill Concentrations in $\mu g/L$

	oncentrations in μg	L			
Sample SW01					
Compound Name Retention Time Estimated Concentrat					
Ethane, 1-bromo-2-chloro	15.48	5 U			
Sample SW02					
Compound Name	Retention Time	Estimated Concentration			
Ethane, 1-bromo-2-chloro	15.47	5 J			
Sample SW03					
Compound Name	Retention Time	Estimated Concentration			
Unknown	3.65	7 J			
Unknown	11.45	21 J			
Ethane, 1-bromo-2-chloro	15.46 5 U				
Sample SW04					
Compound Name	Retention Time	Estimated Concentration			
Unknown	3.66	4 Ј			
Unknown	11.46	15 J			
Ethane, 1-bromo-2-chloro	15.46	7 U			
		1			

Semi-volatile Organic Analysis for Surface Water Samples Arlington Heights Municipal Landfill

Sami malatila Camana	Sample Location and Number			
Semi-volatile Compound				
	SW01	SW02	SW03	SW04
Phenol	2 U	2 U	2 U	2 U
bis(2-Chloroethyl)Ether	2 U	2 U	2 U	2 U
2-Chlorophenol	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	2 U	2 U	2 U	2 U
1,4-Dichlorobenzene	2 U	2 U	2 U	2 U
Benzyl alcohol	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	3 U	3 U	3 U	3 U
2-Methylphenol	1 Ü	1 U	1 U	1 U
bis(2-chloroisopropyl)ether	3 U	3 U	3 U	3 U
4-Methylphenol	1 U	1 U	1 U	1 U
N-Nitroso-Di-n-propylamine	2 U	2 U	2 U	2 U
Hexachloroethane	2 U	2 U	2 U	2 U
Nitrobenzene	3 U	3 U	3 U	3 U
Isophorone	3 U	3 U	3 U	3 U
2-Nitrophenol	2 U	2 U	2 U	2 U
2,4-Dimethylphenol	2 U	2 U	2 U	2 U
Benzoic acid	30 U	30 U	30 U	30 U
bis(2-Chloroethoxy)Methane	3 U	3 U	3 U	3 U
2,4-Dichlorophenol	2 U	2 U	2 U	2 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U
4-Chloroaniline	2 U	2 U	2 U	2 U
Hexachlorobutadiene	3 U	3 U	3 U	3 U
4-Chloro-3-Methylphenol	2 U	2 U	2 U	2 U
2-Methylnaphthalene	2 U	2 U	2 U	2 U
Hexachlorocyclopentadiene	2 U	2 U	2 U	2 U
2,4,6-Trichlorophenol	2 U	2 U	2 U	2 U
2,4,5-Trichlorophenol	2 U	2 U	2 U	2 U
2-Chloronaphthalene	2 U	2 U	2 U	2 U
2-Nitroaniline	3 U	3 U	3 U	3 U
Dimethylphthalate	2 U	2 U	2 U	2 U
Acenaphthylene	2 U	2 U	2 U	2 U
2,6-Dinitrotoluene	1 U	1 U	1 U	1 U
3-Nitroaniline	3 U	3 U	3 U	3 U

Semi-volatile Organic Analysis for Surface Water Samples Arlington Heights Municipal Landfill

	Sample Location and Number					
Semi-volatile Compound	Concentrations in μg/L					
	SW01	SW02	SW03	SW04		
Acenaphthene	2 U	2 Ü	2 U	2 U		
2,4-Dinitrophenol	15 U	15 U	15 U	15 U		
4-Nitrophenol	2 U	2 U	2 U	2 U		
Dibenzofuran	1 U	1 U	1 U	1 U		
2,4-Dinitrotoluene	1 U	1 U	1 U	1 U		
Diethylphthalate	1 U	1 U	1 U	1 U		
4-Chlorophenyl-phenylether	1 U	1 U	1 U	1 U		
Fluorene	1 U	1 U	1 U	1 U		
4-Nitroaniline	3 U	3 U	3 U	3 U		
4,6-Dinitro-2-Methylphenol	15 U	15 U	15 U	15 U		
n-Nitrosodiphenylamine	2 U	2 U	2 U	2 U		
4-Bromophenyl-phenylether	2 U	2 U	2 U	2 U		
Hexachlorobenzene	2 U	2 U_	2 U	2 U		
Pentachlorophenol	2 U	2 U	2 U	2·U		
Phenanthrene	1 U	1 U	1 U	1 U		
Anthracene	3 U	3 U	3 U	3 U		
di-n-Butylphthalate	2 U	2 U	2 U	2 U		
Fluoranthene	2 U	2 U	2 U	2 U		
Pyrene	2 U	2 U	2 U	2 U		
Butylbenzylphthalate	4 U	4 U	4 U	4 U		
Benzo(a)Anthracene	2 U	2 U	2 U	. 2 U		
Chrysene	' 2 U	2 U	2 U	2 U		
bis(2-Ethylhexyl)Phthalate	0.9 J	2 U	0.7 J	2 U		
di-n-Octylphthalate	2 U	2 U	2 U	2 U		
Benzo(b)Fluoranthene	2 U	2 U	2 U	2 U		
Benzo(k)Fluoranthene	2 U	2 U	2 U	2 U		
Benzo(a)Pyrene	2 U	2 U	2 U	2 U		
Indeno(1,2,3-cd)Pyrene	4 U	4 U	4 U '	4 U		
Dibenzo(a,h)Anthracene	3 U	3 U	3 U	3 U		
Benzo(g,h,i)Perylene	4 U	4 U	4 U	4 U		
Total Number of TICs *	0	0	0	0		

NOTE: • - Number, not concentrations, of tentatively identified compounds (TICs) found in each sample.

Pesticide and PCB Analysis for Surface Water Samples Arlington Heights Municipal Landfill

<u></u>					
	Sample Location and Number Concentrations in µg/L				
Pesticide/PCB					
	SW01	SW02	SW03	SW04	
Alpha-BHC	0.020 U	0.020 U	0.020 U	0.020 U	
Beta-BHC	0.020 U	0.020 U	0.020 U	0.020 U	
Delta-BHC	0.020 U	0.020 U	0.020 U	0.020 U	
Gamma-BHC (Lindane)	0.020 U	0.020 U	0.020 U	0.020 U	
Heptachlor	0.030 U	0.030 U	0.030 U	0.030 U	
Aldrin	0.020 U	0.020 U	0.020 U	0.020 U	
Heptachlor Epoxide	0.010 U	0.010 U	0.010 U	0.010 U	
Endosulfan I	0.010 U	0.010 U	0.010 U	0.010 U	
Dieldrin	0.010 U	0.010 U	0.010 U	0.010 U	
4,4'-DDE	0.020 U	0.020 U	0.020 U	0.020 U	
Endrin	0.010 U	0.010 U	0.010 U	0.010 U	
Endosulfan II	0.010 U	0.010 U	0.010 U	0.010 U	
4,4'-DDD	0.040 U	0.040 U	0.040 U	0.040 U	
Endosulfan Sulfate	0.13 U	0.13 U	0.13 U	0.13 U	
4,4'-DDT	0.020 U	0.020 U	0.020 U	0.020 U	
Methoxychlor	0.020 U	0.020 U	0.020 U	0.020 U	
Endrin Ketone	0.030 U	0.030 U	0.030 U	0.030 U	
Endrin Aldehyde	0.050 U	0.050 U	0.050 U	0.050 U	
Alpha-Chlordane	0.025 U	0.025 U	0.025 U	0.025 U	
Gamma-Chlordane	0.025 U	0.025 U	0.025 U	0.025 U	
Toxaphene	1.0 U	1.0 U	1.0 U	1.0 U	
Aroclor-1016	0.20 U	0.20 U	0.20 U	0.20 U	
Aroclor-1221	0.20 U	0.20 U	0.20 U	0.20 U	
Aroclor-1232	0.20 U	0.20 U	0.20 U	0.20 U	
Aroclor-1242	0.20 U	0.20 U	0.20 U	0.20 U	
Aroclor-1248	0.20 U	0.20 U	0.20 U	0.20 U	
Aroclor-1254	0.20 U	0.20 U	0.20 U	0.20 U	
Aroclor-1260	0.20 U	0.20 U	0.20 U	0.20 U	

Inorganic Analysis for Surface Water Samples Arlington Heights Municipal Landfill

	Sample Locations and Number					
Metals and	Concentrations in μ g/L					
Cyanide	SW01	SW02	SW03	SW04		
Aluminum	217	223	3300	8220		
Antimony	2 U	2 U	2 U	2 U		
Arsenic	2	2 U	5	15		
Barium	35.2	35.1	55.6	107		
Beryllium	1.0 U	1.0 U	1.0 U	1.0 U		
Cadmium	0.2 U	0.2 U	0.2 U	0.2 U		
Calcium	75900	75100	85800	160000		
Chromium	10.0 U	10.0 U	10.0 U	13.5		
Cobalt	7.0 U	7.0 U	7.0 U	11.1		
Copper	7.0 U	7.1 18.8		30.5		
Iron	494	491	6300	16000		
Lead	3	2 U	17	29		
Magnesium	32400	31900	51600	85000		
Manganese	98.4	102	186	781		
Mercury	0.1 UJ	0.1 UJ	0.1 UJ	0.1 UJ		
Nickel	19.5	18.0 U	18.0 U	38.0		
Potassium	6100 U	6100 U	6100 U	6100 U		
Selenium	2 U	2 U	2 U	2 U		
Silver	7.0 U	7.0 U	7.0 U	7.0 U		
Sodium	115000	114000	57300	49500		
Thallium	2 U	2 U	2 U	2 U		
Vanadium	6.0 U	6.0 U	7.9	21.7		
Zinc	49.0 U	49.0 U	49.0 U	64.5		
Cyanide	8 U	8 U	8 U	8 U		

Volatile Organic Analysis for Sediment Samples Ar ington Heights Municipal Landfill

	Sample Location and Number					
Volatile Compound						
Volatile Compound	Concentrations in $\mu g/kg$					
	ST01	ST02	ST03	ST04	ST05	
Chloromethane	15 UJ	13 UJ	16 UJ	14 UJ	15 U	
Bromomethane	15 U	13 U	16 U	14 U	15 U	
Vinyl Chloride	15 U	13 U	16 U	14 U	15 U	
Chloroethane	15 U	13 U	16 U	14 U	15 U	
Methylene Chloride	15 U	13 U	16 U	14 U	15 U	
Acetone	33 BU_	13 U	16 U	20 BU	15 U	
Carbon Disulfide	15 U	13 U	16 U	14 U	15 U	
1,1-Dichloroethene	15 U	13 U	16 U	14 U	15 U	
1,1-Dichloroethane	15 U	13 U	16 U	14 U	15 U	
1,2-Dichloroethene (total)	15 U	13 U	16 U	14 U	15 U	
Chloroform	15 U	13 U	16 U	14 U	15 U	
1,2-Dichloroethane	15 U	13 U	16 U	14 U	15 U	
2-Butanone	15 U	13 U	16 U	14 U	15 U	
1,1,1-Trichloroethane	15 U	13 U	16 U	14 U	15 UJ	
Carbon Tetrachloride	15 U	13 U	16 U	14 U	15 UJ	
Bromodichloromethane	15 U	13 U	16 U	14 U	15 UJ	
1,2-Dichloropropane	15 U	13 U	16 U	14 U	15 UJ	
cis-1,3-Dichloropropene	15 U	13 U	16 U	14 U	15 UJ	
Trichloroethene	15 U	13 U	16 U	14 U	15 UJ	
Dibromochloromethane	15 ⁻ U	13 U	16 U	14 U	15 UJ	
1,1,2—Trichloroethane	15 U	13 U	16 U	14 U	15 UJ	
Benzene	15 U	13 U	16 U	14 U	15 UJ	
trans-1,3-Dichloropropene	15 U	13 U	16 U	14 U	15 UJ	
Bromoform	15 U	13 U	16 U	14 U	15 U	
4-Methyl-2-Pentanone	15 U	13 U	16 U	14 U	15 UJ	
2-Hexanone	15 U	13 U	16 U	14 U	15 UJ	
Tetrachloroethene	15 U	13 U	16 U	14 U	15 UJ	
1,1,2,2-Tetrachloroethane	15 U	13 U	16 U	14 U	15 UJ	
Toluene	15 U	13 U	16 U	14 U	15 UJ	
Chlorobenzene	15 U	13 U	16 U	14 U	15 UJ	
Ethylbenzene	15 U	13 U	16 U	14 U	15 UJ	
Styrene	15 U	13 U	16 U	14 U	15 UJ	
Xylene (total)	15 U	13 U	16 U	14 U	15 UJ	
Total Number of TICs *	2	2	2	2	2	

NOTE: * - Number, not concentration, of tentatively identified compounds (TICs) found sample.

Volatile Organic Analysis for Sediment Samples Tentatively Identified Compounds Arlington Heights Municipal Landfill Concentrations in μ g/kg

Sample ST01		
Compound Name	Retention Time	Estimated Concentration
Unknown Silane Isomer	11.83	20 BJU
Unknown Silane Isomer	14.13	14 BJU
Sample ST02		
Unknown Silane Isomer	11.82	29 BJU
Unknown Silane Isomer	14.13	18 BJU
Sample ST03		
Unknown Silane Isomer	11.82	25 BJU
Unknown Silane Isomer	14.13	19 BJU
Sample ST04		
Unknown Silane Isomer	11.82	18 BJU
Unknown Saline Isomer	14.13	20 BJU
Sample ST05		
Unknown Silane Isomer	11.83	75 BJU
Unknown Saline Isomer	14.15	69 BJ

Semi-volatile Organic Analysis for Sediment Samples Arlington Heights Municipal Landfill

<u></u>					
	Sample Location and Number				
Semi-volatile Compound	Concentrations in µg/kg				
	ST01	ST02	ST03	ST04	ST05
Phenol	380 U	390 U	430 U	390 U	410 U
bis(2-Chloroethyl)Ether	380 U	390 U	430 U	390 U	410 U
2-Chlorophenol	380 U	390 U	430 U	390 U	410 U
1,3-Dichlorobenzene	380 U	390 U	430 U	390 U	410 U
1,4-Dichlorobenzene	380 U	390 U	430 U	390 U	410 U
1,2-Dichlorobenzene	380 U	390 U	430 U	390 U	410 U
2-Methylphenol	380 U	390 U	430 U	390 U	410 U
2,2'-Oxybis(1-Chloropropane)	380 U	390 U	430 U	390 U	410 U
4-Methylphenol	380 U	390 U	430 U	390 U	410 U
n-Nitroso-di-n-propylamine	380 U	390 U	430 U	390 U	410 U
Hexachloroethane	380 U	390 U	430 U	390 U	410 U
Nitrobenzene	380 U	390 U	430 U	390 U	410 U
Isophorone	380 U	390 U	430 U	390 U	410 U
2-Nitrophenol	380 U	390 U	430 U	390 U	410 U
2,4-Dimethylphenol	380 U	390 U	430 U	390 U	410 U
bis(2-Chloroethoxy)Methane	380 U	390 U	430 U	390 U	410 U
2,4-Dichlorophenol	380 U	390 U	430 U	390 U	410 U
1,2,4-Trichlorobenzene	380 U	390 U	430 U	390 U	410 U
Naphthalene	380 U	390 U	430 U	390 U	410 U
4-Chloroaniline	380 U	390 U	430 U	390 U	410 U
Hexachlorobutadiene	380 U	390 U	430 U	390 U	410 U
4-Chloro-3-Methylphenol	380 U	390 U	430 U	390 U	410 U
2-Methylnaphthalene	380 U	390 U	430 U	390 U	410 U
Hexachlorocyclopentadiene	380 UJ	390 UJ	430 UJ	390 UJ	410 U
2,4,6-Trichlorophenol	380 U	390 U	430 U	390 U	410 U
2,4,5-Trichlorophenol	910 U	940 U	1000 U	940 U	990 U
2-Chloronaphthalene	380 UJ	390 UJ	430 UJ	390 UJ	410 U
2-Nitroaniline	910 U	940 U	1000 U	940 U	990 U
Dimethylphthalate	380 U	390 U	430 U	390 U	410 U
Acenaphthylene	380 U	390 U	430 U	390 U	410 U
2,6-Dinitrotoluene	380 U	390 U	430 U	390 U	410 U
3-Nitroaniline	910 U	940 U	1000 U	940 U	990 U
Acenaphthene	380 U	390 U	430 U	390 U	410 U

Semi-volatile Organic Analysis for Sediment Samples Arlington Heights Municipal Landfill

	Sample Location and Number				
Semi-volatile Compound	Concentrations in μg/kg				
	ST01	ST02	ST03	ST04	ST05
2,4-Dinitrophenol	910 UJ	940 UJ	1000 UJ	940 UJ	990 UJ
4-Nitrophenol	910 UJ	940 UJ	1000 UJ	940 UJ	990 UJ
Dibenzofuran	380 U	390 U	430 U	390 U	410 U
2,4-Dinitrotoluene	380 U	390 U	430 U	390 U	410 U
Diethylphthalate	380 U	390 U	430 U	390 U	410 U
4-Chlorophenyl-phenylether	380 U	390 U	430 U	390 U	410 U
Fluorene	380 U	390 U	430 U	390 U	410 U
4-Nitroaniline	910 UJ	940 UJ	1000 UJ	940 UJ	990 UJ
4,6-Dinitro-2-Methylphenol	910 U	940 U	1000 U	940 U	990 U
n-Nitrosodiphenylamine	380 U	390 U	430 U	390 U	410 U
4-Bromophenyl-phenylether	380 U	390 U	430 U	390 U	410 U
Hexachiorobenzene	380 U	390 U	430 U	390 U	410 U
Pentachlorophenol	910 U	940 U	1000 U	940 U	990 U
Phenanthrene	220 J	390 U	430 U	380 J	410 U
Anthracene	380 U	390 U	430 U	390 U	410 U
Carbazole	380 U	390 U	430 U	390 U	410 U
di-n-Butylphthalate	380 U	390 U	430 U	390 U	410 U
Fluoranthene	390	390 U	430 U	460	410 U
Pyrene	330 J	390 U	430 U	480	410 U
Butylbenzylphthalate	380 U	390 U	430 U	390 U	410 U
3,3'-Dichlorobenzidine	380 U	390 U	430 U	390 U	410 U
Benzo(a)Anthracene	380 U	390 U	430 U	200 J	410 U
Chrysene	210 J	390 U	430 U	250 J	410 U
bis(2-Ethylhexyl)Phthalate	380 U	390 U	430 U	390 U	410 U
di-n-Octyl Phthalate	380 U	390 U	430 U	390 U	410 UJ
Benzo(b)Fluoranthene	380 U	390 U	430 U	190 J	410 U
Benzo(k)Fluoranthene	380 U	390 U	430 U	200 J	410 U
Benzo(a)Pyrene	380 U	390 U	430 U	390 U	410 U
Indeno(1,2,3-cd)Pyrene	380 U	390 U	430 U	390 U	410 U
Dibenz(a,h)Anthracene	380 U	390 U	430 U	390 U	410 U
Benzo(g,h,i)Perylene	380 U	390 U	430 U	390 U	410 U
Total Number of TICs *	20	12	20	20	20

NOTE: * - Number, not concentrations, of tentatively identified compounds (TICs) found in each sample.

Semi-volatile Organic Analysis for Sediment Samples Tentatively Identified Compounds Arlington Heights Municipal Landfill

Concen	trations	in	ua/ka
Goliceil	MANOTIS	111	WE/ 1.5_

Compound Name	Retention Time	Estimated Concentration
Sample ST01		
Unknown	21.73	130 Ј
Unknown	25.05	600 J
Hexadecanoic Acid	25.30	770 JN
Sulfur, Mol. (\$8)	26.55	370 JN
Unknown	27.53	280 J
Unknown	27.73	220 J
Unknown	29.48	220 Ј
Unknown	33.45	190 J
Unknown	34.77	330 Ј
Propanoic Acid Isomer	35.02	600 BJU
Unknown	35.30	440 Ј
Unknown	36.57	230 Ј
Unknown	37.05	270 Ј
Unknown	37.63	1800 J
Unknown	38.03	220 J
Unknown	38.57	250 Ј
Unknown	38.70	390 J
Unknown	38.95	360 J
Unknown	39.43	870 J
Unknown	39.92	220 J
Sample ST02		
Unknown	31.45	110 J
Unknown	33.07	88 J
Unknown	33,45	120 J
Propanoic Acid Isomer	35.05	100 BJU
Unknown	35.18	160 J
Unknown	35.32	250 J
Unknown	35.45	99 J
Unknown	37.07	180 J
Unknown	38.72	290 Ј
Unknown	38.97	210 J
Unknown	39.45	350 J
Unknown	39.93	82 J

Semi-volatile Organic Analysis for Sediment Samples Tentatively Identified Compounds Arlington Heights Municipal Landfill Concentrations in μ g/kg

	- π μεγκ	~
Compound Name	Retention Time	Estimated Concentration
Sample ST03		
Unknown	23.47	160 J
Unknown	25.07	250 J
Unknown	25.18	140 J
Unknown	25.32	360 J
Unknown	25.85	170 J
Unknown	27.57	130 J
Unknown	33.50	240 J
Unknown	34.43	150 J
Unknown	34.82	340 Ј
Propanoic Acid Isomer	35.08	150 BJU
Unknown	35.47	280 J
Unknown	36.23	130 Ј
Unknown	36.63	200 J
Unknown	37.10	330 Ј
Unknown	37.68	250 Ј
Unknown	38.63	150 Ј
Unknown	38.77	330 Ј
Unknown	39.07	120 J
Unknown	39.48	550 J
Unknown	39.63	200 J
Sample ST04		
Unknown	13.25	160 J
Unknown	15.13	270 Ј
Unknown	16.92	230 Ј
Unknown	17.97	190 Ј
C9.H10.0 Isomer Coelute	18.05	170 J ,
Unknown	18.58	230 Ј
Unknown	20.17	200 Ј
Unknown	21.67	200 Ј
Unknown	21.75	400 J
Hexadecanoic Acid	25.27	190 JN
Unknown	25.73	140 J
Unknown	33.03	160 J
Unknown	33.45	160 J
Unknown	35.30	510 J
Unknown	37.07	140 J
Unknown	37.65	250 J
Unknown	38.72	430 J
Unknown	38.97	180 J
Unknown	39.45	420 J
Unknown	39,58	140 J

Semi-volatile Organic Analysis for Sediment Samples Tentatively Identified Compounds Arlington Heights Municipal Landfill Concentrations in $\mu g/kg$

Compound Name	Retention Time	Estimated Concentration
Sample ST05		
Unknown	15.08	130 J
Unknown	16.85	140 J
Unknown	18.52	140 J
Unknown	20.10	130 Ј
Unknown	21.60	160 J
Unknown	21.68	240 J
Unknown	23.15	130 Ј
Unknown	29.22	130 J
Unknown	33.35	280 J
Unknown	33.48	130 J
Unknown	35.20	330 Ј
Unknown	35.40	170 J
Unknown	36.95	200 J
Unknown	37.10	110 J
Unknown	38.60	480 J
Unknown	38.85	170 J
Unknown	38.93	230 Ј
Unknown	39.33	130 J
Unknown	39.37	120 Ј
Unknown	39.82	170 J

Pesticide and PCB Analysis for Sediment Samples Arlington Heights Municipal Landfill

	Sample Location and Number					
Pesticide/PCB	Concentrations in μ g/kg					
	ST01	ST02	ST03	ST04	ST05	
Alpha-BHC	2.2 U	2.0 U	2.3 U	1.9 UJ	2.1 UJ	
Beta-BHC	2.2 U	2.0 U	2.3 U	1.9 UJ	2.1 UJ	
Delta-BHC	3.7 Y	2.0 U	2.3 U	1.9 UJ	2.1 UJ	
Gamma-BHC (Lindane)	2.2 U	2.0 U	2.3 U	1.9 UJ	2.1 UJ	
Heptachlor	2.2 U	2.0 U	2.3 U	1.9 UJ	2.1 UJ	
Aldrin	2.2 U	2.0 U	2.3 U	1.9 UJ	2.1 UJ	
Heptachlor Epoxide	2.2 U	1.6 J	2.0 J	1.9 UJ	2.1 UJ	
Endosulfan I	2.2 U	2.0 U	2.3 U	1.9 UJ	2.1 UJ	
Dieldrin	4.7 P	4.0	8.6	3.8 UJ	4.1 UJ	
4,4'-DDE	6.1	3.8 U	6.6	3.8 J	7.1 J	
Endrin	4.2 U	3.8 U	4.6 U	3.8 UJ	4.1 UJ	
Endosulfan II	4.2 U	3.8 U	4.6 U	3.8 UJ	4.1 UJ	
4,4'-DDD	17	3.8 U	4.6 U	2.6 JP	3.7 JP	
Endosulfan Sulfate	4.2 U	3.8 U	4.6 U	3.8 UJ	4.1 UJ	
4,4'-DDT	2.2 J	2.0 J	4.5 J	2.7 J	10 J	
Methoxychlor	22 U	20 U	23 U	19 UJ	21 UJ	
Endrin Ketone	4.2 U	3.8 U	4.6 U	3.8 UJ	4.1 UJ	
Endrin Aldehyde	4.2 U	3.8 U	4.6 U	3.8 UJ	4.1 UJ	
Alpha-Chlordane	2 U	5.1	2.3 U	0.84 J	1.0 J	
Gamma-Chlordane	2 U	5.7	1.2 JP	1.0 JP	1.1 JP	
Toxaphene	220 U	200 U	230 U	_190 UJ	210 UJ	
Aroclor-1016	42 U	38 U	46 U	38 UJ	41 UJ	
Aroclor-1221	85 U	77 U	93 U	76 UJ	83 UJ [.]	
Aroclor-1232	42 U	38 U	46 U	38 UJ	41 UJ	
Aroclor-1242	42 U	38 U	46 U	38 UJ	41 UJ	
Aroclor-1248	42 U	38 U	46 U	38 UJ	41 UJ	
Aroclor-1254	42 U	38 U	46 U	38 UJ	41 UJ	
Aroclor-1260	42 U	38 U	46 U	38 UJ	41 UJ	

Inorganic Analysis for Sediment Samples Arlington Heights Municipal Landfill

Modeleand		Colo	L sections and)	V1		
Metals and	Sample Locations and Number					
Cyanide	Concentrations in mg/kg					
	ST01	ST02	ST03	ST04	ST05	
Aluminum	7600	15000	18000	13000	11000	
Antimony	0.2 UJ	0.2 U	0.2 U	0.2 U	0.3	
Arsenic	8.6	5.4	8.0	8.8	8.6	
Barium	58	83	90	70	71	
Beryllium	0.4	0.7	0.8	0.6	0.5	
Cadmium	0.27	0.33	0.69	0.21	0.27	
Calcium	30000	18000	18000	56000	50000	
Chromium	12	20	26	18	18	
Cobalt	7.2	7.0	11	12	11	
Copper	19	22	33	26	25	
Iron	22000	20000	26000	23000	21000	
Lead	29	18	31	26	37	
Magnesium	18000	12000	13000	30000	26000	
Manganese	360	220	490	670	600	
Mercury	0.03 UJ	0.04 J	0.2 J	0.03 UJ	0.05 J	
Nickel	16	22	31	28	27	
Potassium	1000 U	2000	3000	2500	1800	
Selenium	0.4 U	0.4 U	0.7	0.4 U	0.4	
Silver	1.2 U	1.2 U	1.1 U	1.0 U	1.0 U	
Sodium	360	250	410	360	310	
Thallium	0.4 U	0.4 U	0.4	0.3 U ,	0.3 U	
Vanadium	19	21	27	22	20	
Zinc	57	62	110	57	62	
Cyanide	1.2 U	1.3 U	1.6 U	1.4 U	1.2 U	

Volatile Organic Analysis for Soil Samples Arlington Heights Municipal Landfill

	Sample Location and Number			
Volatile Compound	Concentrations in μ g/kg			
_	SS01 SS02 SS03			
Chloromethane	11 UJ	14 UJ	11 U	
Bromomethane	11 UJ	14 UJ	11 U	
Vinyl Chloride	11 UJ	14 UJ	11 U	
Chloroethane	11 UJ	14 UJ	11 U	
Methylene Chloride	11 BJU	14 BJU	11 BJU	
Acetone	11 UJ	14 UJ	11 BJU	
Carbon Disulfide	11 UJ	14 UJ	11 U	
1,1-Dichloroethene	11 UJ	14 UJ	11 U	
1,1-Dichloroethane	11 UJ	14 UJ	11 U	
1,2-Dichloroethene (total)	11 UJ	14 UJ	11 U	
Chloroform	11 UJ	14 UJ	11 U	
1,2-Dichloroethane	11 UJ	14 UJ	11 U	
2-Butanone	11 UJ	14 UJ	11 ВJU	
1,1,1-Trichloroethane	11 UJ	14 UJ	11 U	
Carbon Tetrachloride	11 UJ	14 UJ	11 U	
Bromodichloromethane	11 UJ	14 UJ	11 U	
1,2-Dichloropropane	11 UJ	14 UJ	11 U	
cis-1,3-Dichloropropene	11 UJ	14 UJ	11 U	
Trichloroethene	11 UJ	14 UJ	11 U	
Dibromochloromethane	11 UJ	14 UJ	11 U	
1,1,2-Trichloroethane	11 UJ	14 UJ	11 U	
Benzene	11 UJ	14 UJ	11 U	
trans-1,3-Dichloropropene	∍11 UJ	14 UJ	11 U	
Bromoform	11 UJ	14 UJ	11 U	
4-Methyl-2-Pentanone	11 UJ	14 UJ	11 U	
2-Hexanone	11 UJ	14 UJ	11 U	
Tetrachloroethene	11 UJ	14 UJ	11 U	
1,1,2,2-Tetrachloroethane	11 UJ	14 UJ	11 U	
Toluene	11 UJ	14 UJ	11 U	
Chlorobenzene	11 UJ	14 UJ	11 U	
Ethylbenzene	11 UJ	14 UJ	11 U	
Styrene	11 UJ	14 UJ	11 U	
Xylene (total)	11 UJ	14 UJ	11 U	
Total Number of TICs *	0	0	0	

NOTE: • - Number, not concentrations, of tentatively identified compounds (TICs) found in each sample.

Semi-volatile Organic Analysis for Soil Samples Arlington Heights Municipal Landfill

Sami analatila Campanad	Sample Location and Number			
Semi-volatile Compound	Concentrations in μg/kg			
	SS01	SS02	SS03	
Phenol	360 U	120 J	88 J	
bis(2-Chloroethyl)Ether	360 U	460 U	360 U	
2-Chlorophenol	360 U	460 U	360 U	
1,3-Dichlorobenzene	360 U	460 U	360 U	
1,4-Dichlorobenzene	360 U	460 U	360 U	
1,2-Dichlorobenzene	360 U	460 U	360 U	
2-Methylphenol	360 U	460 U	360 U	
2,2'-Oxybis(1-Chloropropane)	360 UJ	460 UJ	360 UJ	
4-Methylphenol	360 U	460 U	360 U	
n-Nitroso-di-n-propylamine	360 U	460 U	360 U	
Hexachloroethane	360 U	460 U	360 U	
Nitrobenzene	360 U	460 U	360 U	
Isophorone	360 U	460 U	360 U	
2-Nitrophenol	360 U	460 U	360 U	
2,4-Dimethylphenol	360 U	460 U	360 U	
bis(2-Chloroethoxy)Methane	360 U	460 U	360 U	
2,4-Dichlorophenol	360 U	460 U	360 U	
1,2,4-Trichlorobenzene	360 U	460 U	360 U	
Naphthalene	360 U	460 U	360 U	
4-Chloroaniline	360 UJ	460 UJ	360 UJ	
Hexachlorobutadiene	360 U	460 U	360 U	
4-Chloro-3-Methylphenol	360 U	460 U	360 U	
2-Methylnaphthalene	360 U	460 U	360 U	
Hexachlorocyclopentadiene	360 U	460 UJ	360 U	
2,4,6-Trichlorophenol	360 U	460 U	360 U	
2,4,5-Trichlorophenol	870 U	1100 U	1 870 U	
2-Chloronaphthalene	360 U	460 U	360 U	
2-Nitroaniline	870 U	1100 U	870 U	
Dimethylphthalate	360 U	460 U	360 U	
Acenaphthylene	360 U	460 U	360 U	
2,6-Dinitrotoluene	360 U	460 U	360 U	
3-Nitroaniline	870 UJ	1100 UJ	870 UJ	
Acenaphthene	360 U	460 U	360 U	

Semi-volatile Organic Analysis for Soil Samples Arlington Heights Municipal Landfill

	Sample Location and Number			
Semi-volatile Compound	Concentrations in μg/kg			
	SS01	SS02	SS03	
2,4-Dinitrophenol	870 U	1100 U	870 U	
4-Nitrophenol	870 UJ	1100 UJ	870 UJ	
Dibenzofuran	360 U	460 U	360 U	
2,4-Dinitrotoluene	360 U	460 U	360 U	
Diethylphthalate	360 U	460 U	360 U	
4-Chlorophenyl-phenyl ether	360 U	460 U	360 U	
Fluorene	360 U	460 U	360 U	
4-Nitroaniline	870 UJ	1100 UJ	870 UJ	
4,6-Dinitro-2-Methylphenol	870 U	1100 U	870 U	
n-Nitrosodiphenylamine	360 U	460 U	360 U	
4-Bromophenyl-phenyl ether	360 U	460 U	360 U	
Hexachlorobenzene	360 U	460 U	360 U	
Pentachiorophenol	870 U	1100 U	870 U	
Phenanthrene	37 J	38 J	35 J	
Anthracene	360 U	460 U	360 U	
Carbazole	360 UJ	460 UJ	360 UJ	
di-n-Butylphthalate	360 BJU	460 BJU	360 BJU	
Fluoranthene	56 J	35 J	28 Ј	
Pyrene	120 J	54 J	48 J	
Butylbenzylphthalate	360 UJ	460 UJ	360 U	
3,3'-Dichlorobenzidine	360 UJ	460 UJ	360 UJ	
Benzo(a)Anthracene	34 J	460 UJ	360 U	
Chrysene	58 J	460 UJ	360 U	
bis(2-Ethylhexyl)Phthalate	3100 BD	460 BJU	360 BJU	
di-n-Octylphthalate	35 J	460 UJ	360 U	
Benzo(b)Fluoranthene	60 J	460 UJ	¹ 360 U	
Benzo(k)Fluoranthene	360 UJ	460 UJ	360 U	
Benzo(a)Pyrene	26 J	460 UJ	360 U	
Indeno(1,2,3-cd)Pyrene	360 UJ	460 UJ	360 U	
Dibenz(a,h)Anthracene	360 UJ	460 UJ	360 U	
Benzo(g,h,i)Perylene	360 UJ	460 UJ	360 U	
Total Number of TICs *	20	20	20	

NOTE: • - Number, not concentrations, of tentatively identified compounds (TICs) found in each sample.

Semi-volatile Organic Analysis for Surface Soil Tentatively Identified Compounds Arlington Heights Municipal Landfill Concentrations in µg/kg

Sample SS01		
Compound Name	Retention Time	Estimated Concentration
Unknown	6.35	390 JBU
Unknown	6.73	330 Ј
Unknown	7.33	800 JB
Unknown	8.58	900 J
Unknown	9.05	180 Ј
1-Phenyl Ethanone	10.23	180 BJN
Unknown Organic Acid	20.47	300 J
Unknown	21.70	180 J
Unkown	25.72	250 J
Hexadecanoic Acid	26.00	580 JN
2-Bromo-1,3-Diphenyl 1,3-pro	27.23	82 JN
" · ·		
Unknown Alkane	27.55	290 J
Unknown	27.98	490 J
Unknown Alkane	30.50	420 J
Unknown	34.00	2500 J
Unknown Alkane	34.48	560 J
Unknown	34.70	420 J
Unknown Alkane	35.88	620 Ј
Unknown	37.00	580 J
Unknown Alkane	37.20	330 Ј
Sample SS02		
Compound Name	Retention Time	Estimated Concentration
Unknown	6.15	580 JBU
Unknown	6.53	480 Ј
Unknown	7.12	860 JB
Unknown	9.73	260 Ј
1-Phyeni Ethanone	10.03	710 JBN
Unknown Alkane	19.10	170 Ј
Unknown Alkane	20.70	150 J
Unknown Alkane	22.20	220 J
Unknown Alkane	22.28	. 250 Ј
Unknown Alkane	23.60	150 J
Unknown Organic Acid	25.75	370 J
2-Bromo-1,3-Diphenyl 1,-pro	27.03	210 JN
Unknown Alkane	27.35	450 J
Unknown Alkane	29.38	1100 J
Unknown Alkane	31.18	2100 J
Unknown Alkane	32.80	3500 J
CHARLOWH / MAUNO	34.28	830 J
Inknown Alkane		1 030 J
Unknown Alkane		
Unknown Alkane Unknown Unknown	34.42 36.80	560 J 1300 J

The same

Semivolatile Organic Analysis for Surface Soil Tentatively Identified Compounds Arlington Heights Landfill SSI

Sample SS03		<u></u>
Compound Name	Retention Time	Estimated Concentration
Unknown	6.20	340 JBU
Unkonwn	6.57	220 J
Unknown	7.18	710 JB
Unknown	8.45	940 Ј
Unknown Alkane	17.40	170 J
Unknown Alkane	22.25	190 Ј
Unknown Alkane	22.33	320 J
Unknown Alkane	23.78	150 J
Unknown Alkane	24.98	160 J
Hexadecanoic Acid	25.80	190 JN
Unknown Alkane	26.25	160 J
3-Bromo-1,3-Diphenyl 1,3-pro	27.03	180 JN
Unknown Alkane	27.40	440 Ј
Unknown Alkane	28.45	360 Ј
Unknown Alkane	29.43	360 Ј
Unknown Alkane	30.35	360 J
Unknown	34.47	· 640 J
Unknown Alkane	35.72	440 J
Unknown	36.85	1900 Ј .
Unknown	37.05	650 J

Pesticide and PCB Analysis for Soil Samples Arlington Heights Municipal Landfill


	Sample Location and Number			
Pesticide/PCB	Concentrations in μ g/kg			
	SS01	SS02	SS03	
Alpha-BHC	1.8 UJ	2.4 UJ	1.8 UJ	
Beta-BHC	1.8 UJ	2.4 UJ	1.8 UJ	
Delta-BHC	1.8 UJ	2.4 UJ	1.8 UJ	
Gamma-BHC (Lindane)	1.8 UJ	2.4 UJ	1.8 UJ	
Heptachlor	1.8 UJ	2.4 UJ	1.8 UJ	
Aldrin	1.8 UJ	2.4 UJ	1.8 UJ	
Heptachlor Epoxide	2.5 J	2.4 UJ	1.8 UJ	
Endosulfan I	1.8 UJ	2.4 UJ	1.8 UJ	
Dieldrin	1.7 J	1.4 J	3.6 UJ	
4,4'-DDE	9.5 J	5.2 J	2.0 J	
Endrin	3.6 UJ	4.6 UJ	3.6 UJ	
Endosulfan II	3.6 UJ	4.6 UJ	3.6 UJ	
4,4'-DDD	35 J	1.5 JP	1.1 J	
Endosulfan Sulfate	3.6 UJ	4.6 UJ	3.6 UJ	
4,4'-DDT	9.1 J	4.6 UJ	2.1 J	
Methoxychlor	18 UJ	24 UJ	18 UJ	
Endrin Ketone	3.6 UJ	4.6 UJ	1.1 J	
Endrin Aldehyde	3.6 UJ	4.6 UJ	3.6 UJ	
Alpha-Chlordane	3.5 J	2.4 UJ	1.8 UJ	
Gamma-Chlordane	3.7 J	2.4 UJ	1.8 UJ	
Toxaphene	180 UJ	240 UJ	180 UJ	
Aroclor-1016	36 UJ	46 UJ	36 UJ	
Aroclor-1221	73 UJ	93 UJ	73 UJ	
Aroclor-1232	36 UJ	46 UJ	36 UJ	
Aroclor-1242	36 UJ	46 UJ	36 UJ	
Aroclor-1248	36 UJ	46 UJ	36 UJ	
Aroclor-1254	36 UJ	46 UJ	36 UJ	
Aroclor-1260	36 UJ	46 UJ	36 UJ	

Inorganic Analysis for Soil Samples Arlington Heights Municipal Landfill

	Sample Locations and Number					
Metals and	Concentrations in mg/kg					
Cyanide	SS01 SS02 SS03					
Aluminum	17000	14000	17000			
Antimony	0.2 U	0.2 U	0.2 U			
Arsenic	11	6.3	6.7			
Barium	130	95	110			
Beryllium	0.8	0.7	0.8			
Cadmium	1.24	0.34	0.28			
Calcium	19000	27000	8700			
Chromium	28	20	23			
Cobalt	12	9.9	12			
Copper	28	22	25			
Iron	25000	23000	26000			
Lead	49	13	21			
Magnesium	11000	15000	6900			
Manganese	760	590	760			
Метсигу	0.07 J	0.1 J	0.06 J			
Nickel	26	26	29			
Potassium	2800	1800	1800			
Selenium	0.5	0.4 U	0.4 U			
Silver	1.2 U	1.1 U	1.1 U			
Sodium	240	280	200 U			
Thallium	0.4 U	0.4 U	0.4 U			
Vanadium	29	22	24			
Zinc	97	67	86			
Cyanide	1.3 U	1.3 U	1.2 U			

Appendix E Arlington Heights Municipal Landfill Site Photographs

til skilpt



Time: 1010

Photo Taken By: J. Quinn

Photo Number: 1

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Northwest

Description: Onsite pond from top of landfill.



Date: 12/31/92

Time: 1010

Photo Taken By: J. Quinn

Photo Number: 2

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: West-northwest

Description: Onsite pond from top of landfill.



Time: 1010

Photo Taken By: J. Quinn

Photo Number: 3

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: West-southwest

Description: Onsite pond from top of landfill.



Date: 12/31/92

Time: 1010

Photo Taken By: J. Quinn

Photo Number: 4

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Southwest

Description: View from top of landfill.



Time: 1010

Photo Taken By: J. Quinn

Photo Number: 5

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: South-southwest

Description: View from top of landfill.



Date: 12/31/92

Time: 1010

Photo Taken By: J. Quinn

Photo Number: 6

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: South

Description: View from top of landfill.



Time: 1013

Photo Taken By: J. Quinn

Photo Number: 7

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: East

Description: View from southeast portion of

site.



Date: 12/31/92

Time: 1013

Photo Taken By: J. Quinn

Photo Number: 8

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Northeast

Description: View of southeast portion of

site.



Time: 1015

Photo Taken By: J. Quinn

Photo Number: 9

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: North

Description: East border of landfill where

IBT vaults are buried.



Date: 12/31/92

Time: 1015

Photo Taken By: J. Quinn

Photo Number: 10

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: West-northwest

Description: East gate of landfill.



Time: 1030

Photo Taken By: J. Quinn

Photo Number: 11

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: East

Description: Fire training center and

dumpster for ash.



Date: 12/31/92

Time: 1030

Photo Taken By: J. Quinn

Photo Number: 12

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Northwest

Description: Municipal well pump house and

water tank.



Time: 1057

Photo Taken By: J. Quinn

Photo Number: 13

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Southwest

Description: Location of ST01 (flag). Location of SW01 is 8 feet further upstream (to left). Bridge is Nichols Road over Buffalo

Creek.



Date: 4/14/93

Time: 1120

Photo Taken By: J. Quinn

Photo Number: 14

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: West

Description: Location of ST03, near Buffalo

Creek.



Time: 1131

Photo Taken By: J. Quinn

Photo Number: 15

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: South

Description: Location of SW03. Note broken

tile pieces.



Date: 4/14/93

Time: 1135

Photo Taken By: J. Quinn

Photo Number: 16

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: East-southeast

Description: View of landfill, onsite pond, Buffalo Creek, gully of SW03, grove of trees

of ST03.



Time: 1212

Photo Taken By: J. Quinn

Photo Number: 17


Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: North

Description: Location of ST02 (flag) and SW02 (at weir) where Venture St. bridge

crosses Buffalo Creek.



Date: 4/14/93

Time: 1535

Photo Taken By: J. Quinn

Photo Number: 18

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Southwest

Description: Location (at flag) of SW04 and ST04. Location is at midpoint of eastern

shore of onsite pond.



Time: 1550

Photo Taken By: J. Quinn

Photo Number: 19

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Southwest

Description: Location of SW05 (flag) along

northern shore of onsite pond.



Date: 4/15/93

Time: 1130

Photo Taken By: J. Quinn

Photo Number: 20

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: North

Description: MW-6 (sample GW01).



Time: 1720

Photo Taken By: J. Quinn

Photo Number: 21

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Southwest

Description: MW-4 (GW02 and GW02D) and

SS01 (bag).



Date: 4/15/93

Time: 1808

Photo Taken By: J. Quinn

Photo Number: 22

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: Southeast

Description: SS03, with water tank in

background.



Time: 1821

Photo Taken By: J. Quinn

Photo Number: 23

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: West

Description: SS02 (flag) with water tank in

background.



Date: 5/20/93

Time: 0934

Photo Taken By: J. Quinn

Photo Number: 24

Location/ILD #: Arlington Heights Municipal

Landfill/ILD 984 781 526

Direction of Photo: South-southwest

Description: View of ditch that flows along the southern edge of the property, then turns north along western edge of property. Photo taken from edge of bluff, 100 yards west of

water tank.



Appendix F

Arlington Heights Municipal Landfill

400

Representative Well Logs

COOK

· · · · · · · · · · · · · · · · · · ·	Comp Farm Auth Elev-	ority Peder Sholton & Sons	т. 42 N		ap No. 3 n. 112	Sec. 7
nd nd gr	No	700 11.1118, 1400 2.11119	Thickne	in.	Depth	in.
129 9 1 11		200' S. of Dundee Rd., } mi	-	[tate Ro	3.
		Clay, yellow Clay, blue Hardpan Gravel Sand and gravel Sand clay Clay, blue Sand and gravel Clay, blue Sand Sand and gravel Clay, blue Sand Cravel Sand Fravel Sand Sand and pravel Rock Cased with 6" to 160' Cased with 5" to 20' Cased with 20 g.p.m.	13 12 13 13 13 21 36 4 13 7 5 17 4 26		13 25 38 41 54 75 111 115 127 134 139 156 160 186	
		Water lowered to 35' in 1 Fotal length to test run 1 NO ENVELOPE	nr.			
		OUNTY COOK .		7-12	NO. 036	57

ILLINOIS GEOLOGICAL SURVEY, UNDANA (10-10)

(A32137-20M)

10. Dept. Mines and Minerals permit No. 11866	Yen	,
Address 33 S. Arl. Hts. RHigh	ell No	13
Address 33 S. Art. Hts. Rd:5"Ar	1. HUS	111
Driller Egerer-Galloway License 12. Water from sandstoller Corp. County	No. 92-	289
Formation	· +-	
at depth 912 to 1795 t. Sec.	<u>6</u> [
14: Screen: Diam in. Twp. 4	12N_	
Length:ft. Slot Rng	TIE_	•
15. Casing and Liner Pipe	[
Diam. (in.) Kind and Weight From (Ft.) T	(F1.)	SHOW OCATION IN
26 Steel 3/8" A-53 +2 1	02 BE	CTION PLAT
	90	19יאג,119
	EL EL	, NE SW
16. Size Hole below casing: 17 In.	(Permit)
17. Static level 563 It. below casing top which	ls	2ft.
above ground lavel. Pumping level 653 ft. w	hen pumpi	ng at <u>110</u>
gpm for <u>24 </u>		•
18. FORMATIONS PASSED THROUGH	THICKNES	S DEPTH OF
Glacial Drift	180	180
Limestone	170_	350
Shale	115	465
Dolomite	290	755
Sandstone .	157	912
Dolomite with shale & sandstor	e 239	1151
Sandstone (some shale 1309-142	3) 644	1795
(CONTINUE ON BEPARATE SHEET IF NECESSARY)	1	
of Memerper jewalle veryexing		
SIGNED (1) CI (LICENCE DATE	1/28	1/72
	s.s#57	१८६०

6-42X-11E

GEOLOGICAL WATER SURVEYS WATER WELL RECORD Completed 12-30-71

INSTRUCTIONS TO DIRECTERS

te Copy —
I, Dopt, of I'ut fealth
low Copy — Wei contractor
e Copy — Weil Owner

1.

FILL IN ALL PERTINENT INFORMATION REQUEST! AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STA. : OFFICE BUILDING, SPRINGFIELD, ILLIHOIS, 62796, DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1. Type of Well	Address Ochunter How To Michile A		4 24 24
a. Dag Bored Hole Dlamin. Depthit.	Driller File Fileur d Licens	e No. 19:2-	7.7.7
Cub material Buried Slab: YesNo	11. Permit No. 고로크로	Tune_Z_	
b. D:iven Drive Pipe Diam. 5in. Depth 270/11.	12. Water from Shale 13. Coun	۱۱۷ <u>- (زن</u> نگ	
c. Drilled Finished in Drilt In Nock		السكي	7 (7)
Tubular Gravel Packed	14. Screen: Diomin. Twp.	4211	- - - -
d. Grout: (KIND) FROM (FL.) TO (Ft.)	Length:ft. Slot Rge.	拉盖上	-
(AIRD) TRON (T.C) TO (T.T)			
	15. Casing and Liner Pipe	. ———	
	Diam. (in.) Kind. and Wright From (Ft.)	7- (6.1)	SHOW
	<u> </u>	L	OCATION IN CTION PLAT
2. Distance to Negrest:	5 Galv - 15/65 0	1 70	E NE ZE
Building 40 Ft. Seepage Tile Field //O			- 100 - 0
Cess Pool Sewer (non Cast iron)			
Priv) Sewer (Cast from)	16. Size Hole below casing:in.		
Septic Tank 90 Barnyard	17. Static level 30 ft. below casing top which	his /	ſ.
Leaching Pit Manure Pile	above ground level. Pumping level 230 It.		
3. Is writer from this well to be used for human consumption?	gpm for 3 hours.		,
Yes V No		T	I DE DE LA CAL
4. Date well completed 7-18-1973	18. FORMATIONS PASSED THROUGH	THICKNESS	DEPTHON
4. Date wen completed			
/	Too Soil	5	.5
5. Permanent Pump Installed? Yes V No No	Top Soil	5	.5
5. Permanent Pump Installed? Yes No Manufacturer Red Jacket Type Sishin	Top Soil Cloy+Sand+Gravel	1.5	35
5. Permanent Pump Installed? Yes No Manufacturer Red Jacket Type Sirhm Capacity / Q gpm. Depth of setting 35.5 11.			20
5. Permanent Pump Installed? Yes No Manufacturer Red Jacker Type Sirhm Capacity / Q gpm. Depth of setting 25.5 (1. 6. Well Top Sealed? Yes No	Cloy+Sand+Gravel Sand	1.5	70
5. Permanent Pump Installed? Yes No Manufacturer Red Jacket Type Swhm Capacity 10 gpm. Depth of setting 255 it. 6. Well Top Sealed? Yes No No No No	Cloy+Sand+Gravel Sand Sand,+Clay	1. 5 .5 .5	70 75 140
5. Permanent Pump Installed? Yes No Manufacturer Red Jacket Type Swhm Capacity 10 gpm. Depth of setting 255 it. 6. Well Top Sealed? Yes No No No No	Cloy+Sand+Gravel Sand Sand+Clay Clay+Gravel	1.5	70 73 ⁻ 140 168
5. Permanent Pump Installed? Yes No Manufacturer Red Jacker Type Sirhm Capacity / Q gpm. Depth of setting 25.5 (1. 6. Well Top Sealed? Yes No	Cloy+Sand+Gravel Sand Sand,+Clay	1. 5 .5 .5	70 75 140
5. Permanent Pump Installed? Yes No Manufacturer Red Jacket Type Swhm Capacity 10 gpm. Depth of setting 25.5 it. 6. Well Top Sealed? Yes No	Cloy+Sand+Gravel Sand Sand+Clay Clay+Gravel Sand+Gravel+Clay	1.5 .5 .5 .28	70 75 140 168 178
5. Permanent Pump Installed? Yes No Manufacturer Red Jack t Type Sidm Capacity / Q gpm. Depth of setting 25.5 ft. 6. Well Top Sealed? Yes No	Cloy+Sand+Gravel Sand Sand+Clay Clay+Gravel Sand+Gravel+Clay LimesTane	1.5 .5 1.5 .28 .70	70 75 140 168 178 250
5. Permanent Pump Installed? Yes No Manufacturer Red Jack t Type Sirhm Capacity 10 gpm. Depth of setting 25.7 ft. 6. Well Top Sealed? Yes No	Cloy+Sand+Gravel Sand Sand+Clay Clay+Gravel Sand+Gravel+Clay	1.5 .5 .5 .28 .70	70 75 140 168 178
5. Permanent Pump Installed? Yes No Manufacturer Red Jacket Type Swhm Capacity 10 gpm. Depth of setting 25.5 it. 6. Well Top Sealed? Yes No	Cloy+Sand+Gravel Sand Sand,+Clay Clay+Gravel Sand+Gravel+Clay LimesTone Shale	1.5 .5 1.5 .28 .70	70 75 140 168 178 250
5. Permanent Pump Installed? Yes No Manufacturer Red Jacket Type Sirham Capacity / Q gpm. Depth of setting 25.5 (1. 6. Well Top Sealed? Yes No	Cloy+Sand+Grave! Sand Sand+Clay Clay+Grave! Sand+Grave! Limes Toine Shale : (CONTINUE ON SEPARATE SHELT, IF NECESSARY)	1.5 .5 .5 .28 .70 .72 .20	70 25 140 168 178 250 270
5. Permanent Pump Installed? Yes No Manufacturer Red Jack t Type Sirhm Capacity 10 gpm. Depth of setting 25.7 ft. 6. Well Top Sealed? Yes No	Cloy+Sand+Gravel Sand Sand,+Clay Clay+Gravel Sand+Gravel+Clay LimesTone Shale	1.5 .5 .5 .28 .70 .72 .20	70 25 140 168 178 250 270

GEOLOGICAL AND WATER SURVEYS WELL RECORD

Mille Croy III, Dout, of Public Health
Yellow Copy -- Well Contractor
Blue Copy -- Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTICTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. DE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

7				
				i. Depth 171_ft.
				No
	b. Driven	Drive Plpe	DlamIn.	. Depth
	c. Drilled X	Finished l	n Drift	In Rock X
	Tubular	Gravel Pa	cked	
	d. Grout:	(KIND)	FROM (FL.)	TO (Fi.)
	Ì			
	}			
	}			
	L			
2.	Distance to New	rest:		
	Building	Ft. S	eepage Tile Fie	ld
	Cess Pool			iron)
	Privy			
	Leaching Pit	M	lanure Pile	
3.	Well furnishes w	ater for human c	onsumption? Ye	s X No
4.		C / 22 / 70	, ·	
5.	Date well comple Permonent Pump	Installed? Yes	X Date 11/2	/78 No
	Manufacturer Re	d Jacket Typ	e Subin. Lucati	ion _
	Capacity_10	gpm. Depth of S	Setting 126	Ft.
6.	Well Top Sealed?	Yes X No	Type	
7.		Installed? Yes	X No	
	Manufacturer_W	illiams	Model Numbe	er
	How attached to	casing?Clan	םו	
В.		Yes X	No	
9.				No
٥.	Pressure Tank SI			
	Location		11-	
1.	Water Sample Sub	mitted? Yes	X No	
	MARKS:			

GEOLOGICAL	CIMA	WATER	SURVEYS	WELL	RECORD
					LaSavanne

10. Property owner THE KENNEDY (Address 1821 Hicks Rd.,	CO. Well No. Lot 34
Driller GEORGE E. GAFFKE	License No. <u>102-234</u>
11. Permit No. 74942	
12. Water troin Limestone	. 13. County <u>Lake</u>
at depth 155 to 171_11.	Sec. 31 100
14. Screen: Diamin. Length:it. Slot	Twp. 43N Rge. 11E
. cecijinn. siot	Elev.
15. Casing and Liner Pipe	

Diam. (In) Kind and Weight From (FL.) To (FL.)

5 PVC grade 145 Section PLAT Subdivision S

16. Size Hole below cosing: 5 in.

17. Static level 98 It. below casing top which is 1 it. above ground level. Pumping level 11. when pumping gl 10t gpm for hours.

18. PORMATIONS PASSED THROUGH	THICKHESS	DEPTH OF
Top Soil	2	2_
Yellow Clay		9
Blue Clay	25	34
Soft Blue Clay	16	50_
Blue Clay	76	126
Hard Pan	13	139
Blue Clay	10	149
Gravel	6	155
Limestone	16	171

(CONTINUE ON SEPARATE SHEET IF NECESSARY)

SIGNED Sicres & Staffer DAT"

11/07/7

6.0 References

- Arlington Heights, 1976. Telephone communication from Gene Willroth, Director of Public Works, to Bob Wengrow, Division of Land Pollution Control, IEPA, February 18.
- Arlington Heights, 1993a. Personal communication to Arlington Heights Department of Public Works, from S. Mehay, BVWST, August 18.
- Arlington Heights, 1993b. Zoning map.

Lingeren

- Berg, R.C. and J.P. Kempton, 1988. Stack-Unit Mapping of Geologic Materials in Illinois to a Depth of 15 Meters: Illinois State Geological Survey, Circular 542.
- Berg, R.C., J.P. Kempton, and K. Cartwright, 1984. Potential for Contamination of Shallow Aquifers in Illinois: Illinois State Geological Survey, Circular 532.
- Bergstrom, R.E., J.W. Foster, L.F. Selkregg, and W.A. Pryor, 1955. Groundwater Possibilities in Northeastern Illinois: Illinois State Geological Survey, Circular 198.
- Buffalo Grove, 1993. Personal communication from R. Rigsby, Water Department, to J. Quinn, BVWST, January 18.
- Ecology and Environment, Inc., 1988. Screening Site Inspection Report of Arlington Heights Landfill (ILD 981 193 428), by Gerard Breen, January 28.
- Federal Emergency Management Agency (FEMA), 1981. Flood Insurance Rate Map 170054 0015B.
- Harza Environmental Services, Inc. 1989. Environmental Assessment Report, Arlington Heights Landfill, February.
- Hughes, G.M., P. Kraatz, and A. Landon, 1966. Bedrock Aquifers of Northeastern Illinois: Illinois State Geological Survey, Circular 406.

- Illinois Department of Conservation, 1993. Letter and attached map from Susan Dees to John Quinn, BVWST, March 17.
- Illinois Environmental Protection Agency (IEPA), 1983. "List of Public and Food Processing Water Supplies Utilizing Surface Water," Division of Public Water Supplies, July.
- IEPA, 1986. Preliminary Assessment of Arlington Heights Municipal Landfill, by Kenneth L. Page, April 22.
- IEPA, 1989a. DLPC Complaint Investigation Form, by Gino Bruni, February 24.
- IEPA, 1989b. Memo from Gino Bruni to Monte Nienkirk, March 9.
- IEPA, 1990. CERCLA Preliminary Assessment Report, Arlington Heights Municipal Landfill (ILD 984 781 526), by Judy J. Triller, September 7.
- IEPA, 1992. GWM Raw Source Location Report: Division of Public Water Supplies, July 16.
- IEPA, 1993a. Personal communication from G. Bruni, Maywood office, to J. Quinn, BVWST, January 22.
- Illinois State Water Survey (ISWS), 1992. Printouts of PICS database and Private Well Database.
- Kildeer, 1993. Personal communication from village hall representative to J. Quinn, BVWST, January 18.
- Long Grove, 1993. Personal communication from village hall representative to J. Quinn, BVWST, January 18.
- Palatine, 1993. Personal communication from W. Helms, Water Department, to J. Quinn, BVWST, January 18.